


INSPIRATION LIGHTING



BY MOE LIGHT





CERTIFIED INSPIRATION—LIGHTING CAN MAKE YOUR HOME A SHOW PLACE
Seven different types of lighting (fixtures) are employed to enhance the beauty of each well-chosen appointment. Adopt these ideas and others shown here to your own home.



BEAUTY AND VERSATILITY WITH CIL LIGHTING
Recessed pin-point spots in the ceiling glorify these luxurious draperies. Two pull-downs on ceiling tracks — over the game table and over the occasional table in conversation grouping — permit full flexibility of comfort or convenience lighting anywhere within a twelve foot range.

DRAMATIZE THE DINING AREA . . . DAY or NIGHT
The smart "celestial" chandelier emphasizes the contemporary furnishings and is a conversation piece in itself. Recessed pin-point spots highlight the table settings for dining.

INSPIRATION-LIGHTING



BY MOE LIGHT

Pull-downs, clusters, pendants for Focal Points of Beauty

Set the stage for guests, set the mood for the moment, with these dramatic ceiling-hung lighting fixtures. For soft reflections on a lustrously polished table — for concentrated, shadowless brilliance in kitchen, play or work areas — their pools of light are perfection. And see how beautifully they blend in every setting — how their individuality heighten a room's charm. These fixtures for Inspiration-Lighting are important decorative elements of themselves — provide efficient, eye-pleasing light wherever they're used.

DECORATIVE LIGHTING FOR DISTINCTIVE SETTINGS

Fixtures add to the decorative motif . . . handsome sectional enhanced by 3-light cluster . . . perforated cones introduce an unusual decorative motif for the dining area . . . recessed fixture makes the coffee table a focal point.



HINTS ON CERTIFIED INSPIRATION-LIGHTING

Pull-downs, clusters and pendants offer you innumerable opportunities to create highly original decorative effects in any room.

For example: your living room, dining area and kitchen all have tables, furniture groupings and working or playing surfaces that need well concentrated light; each room also needs good general lighting. All can use pull-downs which provide splendid overall lighting when up, effectively concentrated light when down.

Pendants too offer stimulating possibilities: three-in-line above a dressing table or kitchen sink; a pair flanking a buffet, couch or bed; a single unit accenting a planter, objet d'art or other feature, lighting a stairway, hall or closet, or for downlight on a small desk or table.

Depending on the shades you select, beautifully decorative clusters afford high level overall room-lighting or high level lighting limited to any lesser area — in ANY room you choose.

INSPIRATION-LIGHTING



LIGHT

SETS THE MOOD

IN YOUR HOME

BY MOE LIGHT

Flick a switch, and instantly your room comes alive in beauty! It's touched with your personality, expresses your special way of life. Because your choice and arrangement of light can provide a welcoming warmth, make a haven of relaxation, and create an aura of graciousness in your home.

In your own home, you can create truly stunning effects through thoughtfully planned lighting. This catalog is designed to guide you in the selection of the right lighting fixtures to provide functional light and to show *you* how to use the miracle of light to dramatically accent your surroundings.

These Moe Light fixtures will play a special role in your home: their innate good taste and good design make them major decorative accessories in the daytime, make them functional decorative assets when lighted.

And remember — you put much time and expense into furnishing your home. Let its full charm be seen, be emphasized, by the proper selection of lighting fixtures.

Your local Moe Light dealer, your interior decorator, or their Certified Inspiration-Lighting consultant, will help you select balanced lighting and pleasing decorative effects from the fixtures offered in this catalog. Or — use *your own* good taste and make *your own* selection from this guide to the loveliest lighting!

**See other side of this page.*

In selecting fixtures made by the Moe Light Division of Thomas Industries you are assured of not only outstanding designs but also skillful engineering and manufacturing by AFL union craftsmen. Submitted to Underwriters Laboratories for approval and fully covered by the Moe Light warranty.

FIXTURE INDEX

- Reel-type pulldowns** — Most versatile of all fixtures because they provide good general lighting when raised close to the ceiling, and, good concentration of light when lowered close to a table or working surface. They are highly decorative always! Particularly effective with ceiling-track (pages 2 and 10). Appropriate for use in almost any room. **Pages 2 thru 5 10-11**
- Selecta-Lite dimmer** — Use this for newest, smartest lighting effects by control of light level at your finger tips! **Pages 6-7**
- Pendants and Clusters** — Unlimited in their usefulness, anywhere in your home, for any type of lighting from general to accents. **Pages 8-9**
- Colonial hanging fixtures** — Early American period effects plus good lighting! **Pages 10-11**
- Chandeliers** — Dignity and charm in modern or traditional mood, for dining rooms and living rooms especially. **Pages 12 thru 15**
- "Family of Fixtures"** — Uniquely styled, matching groups for distinctive decorating schemes throughout your home! **Pages 16-17**
- Accent lights** — For the "touch that makes the difference" — in each and every room! **Pages 18-19**
- Close-to-ceiling fixtures — Wall Brackets — Utility Lights** — These range from the most highly decorative to modestly designed fixtures, for general, functional or specialized lighting anywhere from attic to basement. **Pages 20 thru 31**
- Fluorescent fixtures** — Valence, cornice and cove lighting set new standards for high styling in modern home-illumination — other fluorescent fixtures provide pleasant decorative effects and efficient, maximum lighting free from shadow or glare. **Pages 32-33**
- Bathroom lights and cabinets** — Beauty and utility combined with quality construction for lifetime service! **Pages 34-35**
- Outdoor fixtures** — Today, the home-exterior and surrounding grounds are no longer "step-children". The magic of light transforms them into a unified vision of hospitable charm and protective beauty! **Pages 36 thru 41**
- Recessed fixtures** — Your home's lighting decor is not up to date unless it includes the liberal use of recessed fixtures — particularly in your living room although smart, gracious effects are equally easily attained in dining rooms, bedrooms and elsewhere. **Pages 42 thru 47**

(NOTE: All individual fixtures are indexed at back of this catalog.)

CERTIFIED INSPIRATION-LIGHTING begins where "adequate" lighting stops!

Certified Inspiration-Lighting . . . conceived and developed by the Moe Light Division of Thomas Industries . . . brings dramatic beauty, utilitarian comfort and greater cash value to your home. It is based on these five fundamentals, which you yourself may apply if you are planning your own lighting:

IMPRESSION Lighting . . . to create dramatic and decorative effects on furnishings, walls and objects in every room and the exterior of the home.

COMFORT Lighting . . . lighting for overall personal comfort when reading, studying, playing cards, dressing or working.

CONVENIENCE Lighting . . . to provide functional overall lighting for everyday family living.

SAFETY Lighting . . . night lights to guide against "bumping into things" or stumbling on stairways, in halls, etc.


PROTECTION Lighting . . . for outdoor safety along driveways, at entrances, and the grounds as well as for outdoor living.

CERTIFIED INSPIRATION-Lighting had its inception in the beautiful effects created by theatrical lighting experts of New York and Hollywood.

You will find additional helpful suggestions on the inside back cover of this catalog under the heading: **Easy Guide to Fixture Selection.**



A



B



C



G

Ceiling track (described on opposite page)
fits all Moe Light reel or cord-hung fixtures.





modern pull-downs

for Concentrated or Diffused Lighting

Today's most popular multi-purpose lighting fixtures are reel-type pull-downs — especially favored above tables, desks, bars and other working surfaces. They serve as focal points of interest in living and family rooms — provide either general or concentrated lighting for dining and recreation rooms — are unequalled over room-dividers separating kitchen from breakfast nook — adapt themselves gracefully even to bedrooms containing tables or desks. Wherever there's a flat surface for work or play, consider a pull-down — with or without a ceiling track — for a stimulating Inspiration-Lighting effect!

- A M-1528** Over your dining table this pull-down dramatizes the scene, putting attractive highlights on your table settings, drawing guests together in pleasant social intimacy. Have this same fixture higher in your living room, for shadowless light — or pull it lower, for concentrated light. Hand-blown opal glass sends light downward, also reflects soft light from the ceiling. The sunburst design shade is rich polished brass, adjusts from 21" to 56"; diameter, 16". On/off switch. Recommended: three 60-watt. Finish: Polished Brass.
- B M-1579 Spiralite.** (See pages 16-17 for matching fixtures.) Sleek and airy contemporary pull-down, to add distinction to many places — breakfast, dining, family, living or recreation room. Sculptured polished brass shade with black disk trim, bent ceramic glass diffuser. On/off switch. 18" wide. Adjusts 25" to 58" from ceiling. Recommended: three 60-watt. Finish: Polished Brass.
- C M-1526** Here, contemporary styling has added pull-down versatility and modern lines to a favorite classic fixture for breakfast nook or dining room. A pull-down "sets the stage" for any occasion. Pulled low over a dining table, it makes the most of the table setting, draws the company together. Left higher in the living room, it supplies diffused general lighting. Hand-blown opal glass, set off by 16" diameter modern polished brass shade and trim adjusts from 23" to 54". On/off switch. Recommended: one 100-watt. Finish: Polished Brass.
- D M-1429 Cordette.** (See pages 16-17 for matching fixtures.) Delightful over a conversation group, at the end of a sofa, or above a table or desk. The interesting Cordette Casual shade is of natural texture whirl cord plastic bonded. Cleans easily. Translucent when lighted . . . accenting the interesting ribbed effect. For glareless light, bottom is white glass. Shade itself is of dramatic size — full 20" diameter. Height from ceiling may be varied from 19" to 47", for reading, conversation, or general room illumination. 3-way switch — three levels of light. Recommended: three 60-watt. Finish: Polished Brass.
- E M-1050** Broad, sweeping lines enhance the air of spaciousness in any living or dining room where this superb pull-down is used. Its white fiber glass shade diffuses light pleasantly for good general lighting while its clear louvered bottom glass directs light downward for more concentrated illumination, without glare. Metal parts are satin brass; walnut finish wood pull-knob. 3-way switch — three levels of light. Diameter, 21; adjusts from 20" to 48". Recommended: three 60-watt. Finish: Satin Brass.
- F M-1479 Luxwood.** (See pages 16-17 for matching fixtures.) Most original lighting fixture idea in years! Genuine master-grain walnut wood which complements interior decor by day, and it is beautifully translucent when lighted. Dramatic over a dining table or in the living room. White frosted acrylic plastic diffuser for glareless illumination. Generously proportioned — full 21 1/2" in diameter. To draw a social group together, or to focus attention on a table setting, pull it down as low as 47" from the ceiling. For room-wide illumination, push it up as high as 19" from the ceiling. 3-way switch, for three degrees of light. Recommended: four 60-watt. Finish: Polished Brass.
- G M-1499 "GLIDE-ALL" CEILING TRACK.** Light where you want it! This track takes ANY Moe Light reel or cord-hung fixture in this catalog. Track is polished brass, ceiling-mounted, 6 ft. long. The fixture moves end-to-end, back and forth, on easy-glide brass rollers. Track installs easily. Shipped complete with 6 ft. track and cord. Polished brass cord weights, splicing urn, mounting screws, and 9 ft. of cord extending beyond end of track with plug for connection to the nearest outlet. Or, this 9 foot cord may be cut, and connected permanently to your ceiling outlet through the canopy supplied with the fixture. (See illustration.) Finish: Polished Brass.







modern pulldowns

Compliment Your Good Taste with Decorative Light!

Some of these designs are new, some are modernized transitionals, but all reflect dramatic modern pull-down Inspiration-Lighting which lets you combine different fixtures in one room, while retaining a related decorating theme.

- A M-1461** Striking clean-lined simplicity in a pull-down to enhance the smart modern look in any room of contemporary furnishings. Opal glass with satin brass shade and square rod trim combine to give that "smart look". 16" diameter. Extends 21" to 52" from ceiling. Recommended: one 100-watt. Finish: Satin Brass.
- B M-1460** Stimulating modern pull-down, appropriate in kitchen, or family, dining or living room. Hand blown opal glass with scalloped edge shade, black on top, white on underside. Brass wire trim adds beautiful decorative accent. 16" diameter. Adjusts 21" to 49". Recommended: one 100-watt. Finish: Satin Brass.
- C M-1491** Dining room pull-down with a stylish air. Flowing curves interpreted entirely in polished brass blend with any decor, transitional or contemporary. Shade diameter, 16". Modern slot perforated design in shade, repeated in the radial design of the golden-beaded white glass diffuser. Pulls down 18" to 46" from ceiling. Recommended: three 60-watt. Finish: Polished Brass.
- D M-1490** For dining rooms — a conversation piece in itself! Pinpoint perforated brass shade shows tiny stars of light. White glass diffuser with rich golden beading showers down a soft, clear radiance. Ampley designed — full 20" diameter shade. Pulls down 18" to 46" from the ceiling. Recommended: three 60-watt. Finish: Polished Brass.
- E M-1482** Decorative and practical for recreation room, den, breakfast nook — wherever the primary need is concentrated light. Rich bell shape shade, with a bent glass diffuser in white with golden beading. This fixture is 16" in diameter and adjusts from 19" to 47" from ceiling. Recommended: three 60-watt. Finishes: Polished Brass or Polished Copper.
- F M-1099** An unusually effective contemporary pull-down for dining or recreation room. Gives reflected, indirect lighting. Prismatic lens in the brass reflector bowl for extra downlight to dramatize a table or make reading and games more pleasant. White shade, full 20" diameter. Adjusts 25" to 53" from ceiling. Pull-down knob: wood, walnut finish. Recommended: one 150-watt. Finish: Satin Brass.
- G M-1096** A light and airy pull-down for dining room or conversation areas. Shade is rough textured fabric moulded in fiber glass, for easy cleaning and life-long strength. White bottom glass provides diffused room-wide illumination. On/off switch above 18" shade. Pulls down from 19" to 47". Recommended: two 60-watt. Finish: Polished Brass.
- H M-1097** Grace a formal or informal setting with this striking "bubble" pull-down. It provides glareless light over a surprisingly large area, and two or more of them at different heights in one room are most effective. Tough vinyl plastic over a contoured wire cage, 18" in diameter. Pulls down from 21" to 49". Recommended: one 150-watt. Finish: Polished Brass.



*from
midday
brilliance*

*through
all the
stages
between*

*to
twilight's
soft
glow*



INSPIRATION-LIGHTING



BY MOE LIGHT

...at the turn of this Moe Light Dimmer*



Fingertip control of light intensity
for Inspiration-Lighting effects ...
for every mood ... to suit every occasion.

SMART! COMPACT! MATCHES ANY DECOR! Clear plastic face plate and decorative panel† furnished — matches or contrasts with your walls. No large unsightly "control panel".

Brightly lighted for open-hearted hospitality ... softly dimmed for cozy intimacy ... your lighting fixtures become symphonic instruments on which you play "mood lighting" to suit every occasion ... when you have Moe Light dimmer switches in your living, dining or family rooms. It's the newest magic ... adds entirely new dimensions of comfort and pleasure to home lighting. The cost is moderate ... truly your biggest bargain in luxury lighting!

Ideal for use with chandeliers (pages 12-13, 14-15); accent lights (pages 18-19); and cornice, cove and valance lighting (pages 32-33). Use with Moe Light dimmer ballast strip lighting fixture M-4146.

Dimmer has built-in automatic reset circuit breaker. Eliminates unsightly fuse ... fuse changing.


M-6360 Moe Light Dimmer.

Transformer type switch, not a resistor; uses only the current needed. Smooth, flickerless, silent operation — cool, safe, economical. Controls up to seven rapid-start 40-watt fluorescent lamps, or any number of incandescent lamps up to a total of 360-watts' total load. For 120-volt, 60-cycle A. C. only. Housing size: $5\frac{1}{2}$ " x $6\frac{1}{4}$ " x $3\frac{3}{8}$ ". Face Plate: $6\frac{1}{2}$ " x $7\frac{1}{4}$ "; clear, with backing panel dark-colored on one side, light on the other.


YOU GET MANY DISTINCTIVE FEATURES IN THE NEW MOE LIGHT DIMMER!




BUILT IN INTEGRAL ON/OFF SWITCH. Easier to operate — more economical to install! On/off switch is part of operating dimmer dial. Only one dial does all — turns on, dims and turns off.



SAVES CURRENT — SAVES WASTEFUL WEAR ON BALLAST! Fluorescent lights do not flicker or go out when switch is turned to lowest "dim" position. No danger of your thinking lights are turned off when they are not, which wastes electricity, causes undue wear on ballasts.






TIME-SAVING, MONEY-SAVING TERMINAL BOARD. Instead of a bundle of wires, Moe Light dimmer switches come with connecting panel — each screw terminal clearly identified for fast, easy, economical installation. Not even pliers are needed!






†**MATCHES ANY DECOR!** Clear face plate with back panels of dark color on one side, light on the other. Use the side that better harmonizes with the wall; or paint either side same color as wall; or use matching wallpaper as backing instead.

* Patent Pending



3-IN-LINE CONVERSION KIT

M-1410 Converts pendants or 3-light cluster into 3-in-line cluster as illustrated. Includes canopy and 32" long spreader with walnut inserts. Includes "easy-to-assemble" instructions. Overall fixture spread 26". Finish: Polished Brass.







clusters . . . pendants . . .

Styled with a Decorator Flair!

Add deft decorative touches throughout your home with beautifully designed pendants and clusters . . . used singly, in pairs or multiple groupings . . . to accent an ornamental feature or light a desk, table, or work-surface.

- A M-1577 Spiralite.** (See pages 16-17 for matching fixtures.) Contemporary styling in sculptured brass 3-light cluster that adds smartness to any bedroom, dining, family or living room. Walnut and brass spreader. Diameter of each cone, 5"; overall diameter, 18", each cone individually adjustable to 46". Recommended: three 60 or 75-watt. Finish: Polished Brass, Black disks.
- B M-1527** Cluster with smart, slender lines that accentuate the vertical, add charm to modern or traditional furnishings. Hand blown satin opal glass, ideal for use with pastel-tinted bulbs. Each cylinder 15" long; 4 1/2" diameter. Overall diameter 20". Each cylinder individually adjustable to 42". Recommended: three 60-watt. Finish: Polished Brass.
- C M-1467** Charming "tear-drop" opal glass cluster with decorative brass wire supports. Dramatic when used with tinted bulbs . . . pink, yellow and blue, one in each shade. Each shade 12 1/4" long, 5 1/2" diameter. Overall diameter with spreader in place, 17 1/4". Each shade individually adjustable to 48". Recommended: three 40-watt. Finish: Polished Brass.
- D M-1427 Cordette.** (See pages 16-17 for matching fixtures.) Strikingly contemporary design of textured "Whirl-Cord" shade. Blends well with all colors . . . fits into any room, over tables, planters, bars, etc. Each cone 12" long, 7" in diameter. Overall diameter with spreader, 19". Each cone individually adjustable to 42" long. Recommended: three 75-watt. Finish: Polished Brass.
- E M-1447** Smoothly flowing curves, with a formal dignity that blends beautifully into any contemporary setting. Perforated shades give dramatic effect when lit. Canopy 9" diameter. Each cone 10 1/2" long, 5" in diameter. Each cone individually adjustable to 46" from ceiling. Recommended: three 40-watt. Finish: Polished Brass.
- F M-1477 Luxwood.** (See pages 16-17 for matching fixtures.) Unique design that never fails to arouse delighted comment — genuine walnut wood shades are opaque by day. The beautiful walnut grain adds rich decorative effects to living and dining rooms or dens. Translucent when lit, their effect is beyond compare! Each cylinder 10" long, 5" diameter. Overall diameter 16". Each cylinder individually adjustable to 55" long. Recommended: three 100-watt. Finish: Polished Brass.
- G M-1572** (Same as A, M-1577, except single **Spiralite** pendant.) So versatile, so stunning it may be used effectively in any room in the home, singly or in groups. Adjusts to 72" overall. Recommended: one 60 or 75-watt. Finish: Polished Brass.
- H M-1517** (Same as B, M-1527, except single pendant.) Its simple classic lines make it ideal over planters, end tables, or in other spots where accent lighting is called for. Adjusts to 66" overall. Recommended: one 60-watt. Finish: Polished Brass.
- I M-1417** (Same as D, M-1427, except single **Cordette** pendant.) Appropriate for any room in which textured fabrics form an important part of the decorative scheme. Use singly or in line. Adjusts to 42" overall. On/off switch. Recommended: one 75-watt. Finish: Polished Brass.
- J M-1466** (Same as C, M-1467, except single pendant.) Can be used effectively with tinted bulbs to match or contrast with color scheme of any room. Adjusts to 72" overall. Recommended: one 40-watt. Finish: Polished Brass.
- K M-1476** (Same as F, M-1477, except single **Luxwood** pendant.) Blends or contrasts with any type of wood paneling. Beautiful effects can be created when several are used in line. Adjust to 83" overall. On/off switch. Recommended: one 100-watt.
- L M-1446** (Same as E, M-1447, except single pendant.) Objet d'art or architectural feature, this design is unsurpassed because its perforated metal creates interesting light patterns. Adjusts to 72" overall. Recommended: one 40-watt. Finish: Polished Brass.
- M M-1410 MIX or MATCH** This 3-in-line spreader can be used with any Moe Light single pendant in matching clusters or a combination of two or three different pendants. An M-1517 or M-1466 at either end and an M-1417 or M-1476 in the center make a beautiful combination. Try other combinations for interesting Inspiration-Lighting effects.





Ceiling track fits
all Moe Light
reel or
cord-hung fixtures.



reel and chain-hung fixtures


Colonial Charm In a Modern Concept

Traditional in feeling, yet they're wonderfully efficient! Each one is adjustable for height (distance from ceiling): the reel-types pull down and return to desired height; in the chain-hung style, links are easily removed. Their fine design, their versatility in use for every room of your house, make these Certified Inspiration-Lighting Colonials a delight in daytime or light-up hours. Choose them as accessories to the beauty of any room in your home, as well as for their functional qualities. They'll brighten your life!

- A M-1539** A lovely circle of light for family groupings, this twin-chimney pull-down adds charm at the dining table, in the family or recreation room. It's traditional styling — blends easily with any ranch house or informal setting. Hand blown opal glass chimneys; 13" high fixture with galleried 16" diameter shade. Easily adjustable from 21" to 56" over all. On/off switch. Recommended: two 100-watt. Finish: Polished Brass.
- B M-840** Pleasant companion to traditional or casual settings is this reel-type pull-down lantern. Its friendly, beckoning light adds zest to appetites at the dining table, adds a note of relaxation to recreation room, "dresses up" a kitchen. 16" shade, frosted glass chimney with clear white lines. Pulls down from 28" to 56" from ceiling. Recommended: one 100-watt. Finish: Antique Copper.
- C M-839** Exactly the same as lantern M-840, except chain hung. 36" overall, or may be shortened by removing links.
- D M-1530** Single chimney colonial pull-down matches M-1539. Ideal for Early American or ranch type breakfast nooks. Height 23 1/2", extends to 51 1/2"; 16" diameter perforated shade. 3-way switch. Recommended: one 30-70-100-watt. Finish: Polished Brass.
- E M-1487** The simplicity of this Early American styled pull-down adds charm to any dining, living or family room, or kitchen. Frosted glass chimney; 14" shade. Adjusts from 23" to 51" from ceiling. Polished brass canopy, reel and trim — with choice of shade colors. Three-way switch. Recommended: one 30-70-100-watt. Shade finish: Polished Brass, Polished Copper, or Red.
- F M-1488** Same design as M-1487 except chain hung and without switch. Length may be adjusted from 33" to 16" by removing links from chain. Recommended: one 100-watt. Same finishes.
- G M-1481** This beautiful transitionally styled reel light adds a world of friendliness to any setting. Clear lines accent the frosted glass chimney. Shade diameter, 18". Adjustable from 26" to 54". 3-way switch. Recommended: one 50-100-150 watt. Finish: Polished Brass.
- H M-1484** Chain-hung lantern casts a glow of informal warmth wherever it's used. For recreation or dining room, or kitchen, it gives a homey feeling of relaxed enjoyment. Charming scalloped 20" shade with white frosted glass chimney. Chain adjusts from 18" to 37". Handy 3-way switch. Recommended: one 50-100-150-watt. Finishes: Polished Brass, or Polished Brass with Polished Copper shade.
- I M-1483** Smart pull-down; matches M-1484, except that it has a reel-type hanger. Adjustable from 26 to 54". Same finishes.
- J M-1499** "GLIDE-ALL" CEILING TRACK adds to the versatility of ALL Moe Light reel or cord hung fixtures shown in this catalog. Brass ceiling-mounted track permits movement in either direction along its 6-foot track! Installs in minutes... no special tools or skill required (easy-to-understand instructions included). Ideal for use with drop-leaf tables that you keep to one side of the room when not fully opened. The perfect answer for apartment dwellers having no ceiling outlet. Wonderful in any room. Comes with 6-foot track and cord, brass cord weights, splicing urn, mounting screws and 9 feet of cord beyond end of track, with plug for connection to nearest outlet. Cord may be cut for permanent connection to ceiling outlet.



G



H



I



C



B



A




D



G





E



F



I



H



traditional chandeliers


There's a certain formality to chandeliers — a dignity — that imparts to living rooms and dining rooms an air of gracious hospitality almost impossible to achieve with any other type of lighting fixture. Yet their use need not be restricted to these two rooms. Creative lighting — Inspiration-Lighting — may produce striking effects through the deft touch of chandelier-formality almost anywhere in the home! (NOTE: Lengths given for chain-hung chandeliers are maximum lengths; chains may be shortened by removing links.)

- A M-1265** The flowing lines of this ultra-smart traditional chandelier accentuate the beauty of the dining room in any home. Polished brass sphere, arms and trim gleam their welcome; rich walnut center column contributes dignity; hand-blown opal glass chimneys with fired-on golden bands enhance the graciousness of distinctive lighting. Spread, 22"; length, 34 1/2". Recommended: five 40-watt. Finish: Polished Brass.
- B M-1555** Matches M-1551 and M-1553 (page 23). The warmth of genuine walnut wood, the elegance of gleaming polished brass, and the grace of cut glass in a charming brandy-snifter design, all combine to make this one of our finest formal, traditional chandeliers. Spread, 24"; length, 36". Recommended: five 25 or 40-watt clear flame lamps. Finish: Natural Wood and Polished Brass.
- C M-1553** Matching wall bracket. Height, 10 1/2"; extends 6 3/4". On/off switch. Recommended: one 25 or 40-watt clear flame lamp.
- D M-1560** Matches M-1561 (page 22). Generations of hostesses have prided themselves on tableware and vases beautifully wrought in cut glass, here lavishly employed in clear panels with charming curved, polished beveled edges. The cut design is richly inlaid with genuine 14K gold. Spread, 18"; length, without chain, 16 1/2"; length can be adjusted to 44 1/2" with chain. Recommended: six 25 or 40-watt clear flame lamps. Finish: Polished Brass.
- E M-1255** Matches M-1251 and M-1260 (page 23). As authentically Early American as Plymouth Rock itself! Genuine hand-cut frosted glass chimneys beautifully accented by polished brass center urn and arms. Hanging crystal prisms not included — order separately (see G, below). Spread, 20"; length, 33". Recommended: five 40-watt. Finish: Polished Brass.
- F M-1251** Matching wall bracket. Height, 7 3/4"; extends, 7 1/2". On/off switch. Recommended: one 40-watt.
- G M-1102** Polished crystal prisms — 5 scintillating prisms with brass ring for attaching to chandelier. Add a final touch of brilliance by adding one set to each light on Colonial fixture M-1255 or M-1035.
- H M-1035** Matches M-1031 and M-1041 (page 23). Reminiscent of Mount Vernon in its simple clean-cut lines. Spiral glass center urn sets off the unpretentious appeal of the frosted cut glass chimneys; warm glow of polished brass adds color. Polished crystal prisms may be added (see G above). Spread, 19"; length, 36". Recommended: five 40-watt. Finish: Polished Brass.
- I M-1031** Matching wall bracket. Height, 8"; extends 7". On/off switch. Recommended: one 40-watt.
- J M-1588** A striking new creation of a traditional design. Beautifully polished brass ring with graceful clear crystal chimneys add a contemporary note to this time-honored fixture. A distinctive touch for those who want something new and different for both ranch and colonial homes. 23" diameter; height, 18 1/2". Recommended: six 25 or 40-watt clear flame lamps. Finish: Polished Brass.
- K M-1026** An appealing example of modern design at its best, this attractive ceiling fixture enhances the beauty of any dining or living room. Bent glass shade with white stippled design. Downlight has a louver and may be controlled by separate wall-switch if desired. Diameter, 19"; length, 16". Recommended: four 60-watt and one 75-watt R-30 lamp. Finish: Satin Brass.
- L M-1018** Matches M-265 (page 26). Eminently practical fixture of pleasing design that will look well in most any dining room setting. Its bent glass shade has flower-trellis design on white glass. Diameter, 16"; length, 24". Recommended: four 60-watt. Finish: Satin Brass.





A



B



D



C



E






Paint with Light!

To suit any decorative scheme, color or texture, here is high style — ranging from the spectacular to quieter, modernized classics — each a timeless fixture, and all well within the limits of good taste. An exciting fixture can add lively decorative effects to dining and breakfast rooms or a “perky” touch to family and recreation rooms.

- A M-1585** As celestial as a summer night — and fully as provocative of admiring conversation! This stunning “Astralite” ceiling fixture, although frankly futuristic in fashion, blends amazingly well even into conservatively furnished dining, living, recreation or family rooms and is truly a delight to live with. 30" high overall; 25" spread. (Lamps not included with fixture.) Recommended: sixteen 25 or 40-watt “astral” lamps for candelabra base sockets. Finish: Polished Brass.
- B M-1275** Embodies the brisk, crisp lines of today's fine artistry with the gentle charm of days gone by. Brightly polished brass arms support the clear-lined frosted crystal chimneys and the crackled crystal center font ball that adds so much individuality. Spread, 18"; length, 35". Recommended: five 40-watt. Finish: Polished Brass.
- C M-1335** Matches M-1331. Adapted from an authentic oil lamp candelabra. Just right for the traditional touch in dining or living room. White opal glass diffusers, satin brass shades, black trim, natural light finish wood body. Overall width, 22". One 12" and one 18" stem permit length variation of 22" to 40". Swivel-type canopy lets this fixture hang straight down from a sloping ceiling. Recommended: five 60-watt.
- D M-1331** Matching wall bracket. Height, 7"; extends 9". On/off switch. Recommended: one 60-watt.
- E M-1070** Graceful in dining room or dinette. The smooth-finished perforated cups are polished brass. Shade is white, 24" diameter, with golden-colored band. A 12" and an 18" stem allow variation of 26" to 44" from the ceiling. Swivel-type canopy permits this fixture to hang straight down from a sloping ceiling. Recommended: three regular 100-watt or three 75-watt R-30 lamps.
- F M-1072** Harmonious modern lines in an elegant kitchen, bedroom, recreation or dining room fixture. Generous downward light through concentric design bent glass diffuser. Diameter, 16½". Overall length, 8½" from ceiling; however, two stem sections, 12" and 18", permit adjusting to 37" below ceiling (see illustrations). Swivel canopy lets fixture hang straight from a sloping ceiling. Recommended: four 60-watt. Finish: Polished Brass.
- G M-1073** Matches M-1173 (page 29) and M-1175 (page 22). With beauty plain and unaffected, this modern creation adds freshness to any breakfast nook or dining room decor. Clear louvered bottom lens concentrates light downward, while the white shade diffuses soft overall light. Brass band shade trim provides pleasing accent. Swivel canopy allows fixture to hang straight from sloping ceiling. Diameter, 16". Length, 12" and 18" stem sections permit variation from 21" to 39". Recommended: one 100-watt. Finish: Satin Brass.
- H M-1022** Multi-purpose modern fixture for bedroom, kitchen, dining area or recreation room. Rich golden-beaded sunburst design on 22" diameter gleaming white ceramic glass shade with golden plastic edging. A louvered lens adds extra downlight to emphasize a dining table or improve visibility on card tables. Length, 17". Recommended: three 100-watt and one 60-watt. Finish: Satin Brass.
- I M-1058** Such an airy and unusual fixture, appropriate in bedroom, breakfast nook, den or casual rooms. Provides ample direct and indirect off-the-ceiling light. Stylish black expanded metal center cylinder, black canopy, and a 21" textured white fiber glass shade. Two stems (12" and 18") permit variation in overall length from 10" (close-to-ceiling canopy mounting) to 36" (suspended mounting). Swivel-type canopy allows fixture to hang straight from sloping ceiling. Recommended: four 60-watt. Finish: Black.





3 families of fine fixtures

Latest — greatest — in decorating ideas! Three complete “families” of lighting fixtures in strikingly original designs!

Spiralite — Gleaming, perforated polished brass in a timeless sculptured design — eternally exquisite, universally appropriate! By day, its richly sparkling metal highlights the beauty of all surrounding furnishings; by night, the twinkle of light through the shade-perforations even more greatly enhances any room's daytime beauty.


Luxwood — genuine walnut with polished brass. With lamps off, the beautifully grained cabinet wood is opaque, its lovely surface an object of art in any home. Lamps lit, the shades become translucent, the handsome graining glows gloriously alive!

Cordette — Natural cord permanently embedded in invisible plastic, with polished brass trim to accentuate the charm of its highly unusual texture, dramatically enhances the graciousness of any decor.


Graceful and attractive as each fixture is when used singly, its effectiveness is multiplied a hundredfold when its whole “family” is used judiciously throughout the entire home — not to the exclusion of other, compatible designs but in conjunction with them. Tastefully employed, any of these three fine “families” thus produces an ensemble effect, sufficiently varied to avoid monotony, that sets new standards in modern lighting design. The home becomes the envy of all beholders!

M-1400 Pole Light
See Page 18


SPIRALITE SERIES



M-1577 3-light Cluster
See Page 8



M-1579 Pulldown
See Page 2




M-1575 Close-to-Ceiling
See Page 28



M-1572 Single Pendant
See Page 9


LUXWOOD SERIES



M-1479 Pulldown
See Page 3




M-1476 Single Pendant
See Page 9



M-1475 Close-to-Ceiling
See Page 28




M-1471 Hall or Entry Fixture
See Page 28




M-1477 3-light Cluster
See Page 8

CORDETTE SERIES



M-1429 Pulldown
See Page 3



M-1417 Single Pendant
See Page 9



M-1424 Adjustable Wall Bracket
See Page 18



M-1425 Close-to-Ceiling
See Page 28



M-1423 Wall Bracket
See Page 18









M-1421 Hall or Entry Fixture
See Page 19

M-1402 Pole Light
See Page 18



M-1427 3-light Cluster
See Page 8





accent lighting

The "Touch" that Makes the Difference.

Accent fixtures are the most versatile lighting in use today. Used for emphasizing furnishings and features in the home, they are decorative as well as functional for stairs, halls, on the patio and in family, game and recreation rooms.


- A M-1400 Spiralite Pole Light.** (See pages 16-17 for matching fixtures.) Sculptured brass perforated cones. Can adjust to any ceiling height from 7'9" to 9'0". Comes with 9 feet of cord and plug for connection to any outlet. Each cone 9" long, swivels up-down and sideways. Unit has 3-way switch. Each cone accommodates one 75-watt bulb. Finish: Polished Brass with Black trim.
- B M-1402 Cordette Pole Light.** (See pages 16-17 for matching fixtures.) "Whirl-Cord" textured cones are accented by brass wire frame and smart black top. Adjusts to ceiling height 7'9" to 9'0". Comes with 9 feet of cord and plug for connection to any outlet. Each cone 11 1/2" long. Swivels in all directions. Unit has 3-way switch. Each cone accommodates one 75-watt bulb. Finish: Polished Brass with Black trim.
- C, D M-1067 Contemporary "classic" twin accents** for living room wall or ceiling. Adjustable reflector. Width, 19 1/2", extends 11 1/2". 3-way switch. Recommended: each reflector one 100-watt or 75-watt R-30 lamp. Finish: Satin Black, Tone White, or perforated Polished Brass.
- E M-1063** Same as M-1067 but single "bullet." On/off switch.
- F M-803 Solid Aluminum.** Ideal for areas where rusting may be a problem. Wall or ceiling mount. Adjustable reflector. Extends 10 1/2"; height, 7 1/4". Recommended: one 100-watt or 75-watt R-30 lamp. Finish: ANODIZED Satin Aluminum or Black. (See page 39 for 2-light version.)
- G M-1357 Modern twin cone accents** favored in living, recreation rooms. Textured brown and ivory raffia laminated over fibre glass. Translucent shade creates soft "halo of light." Extends 10 1/2". 3-way switch. Recommended: two 100-watt. Finish: Polished Brass.
- H M-1353** Same as M-1357 but with single cone. On/off switch.
- I M-1083 Reduce glare with TENSION-FIT LOUVER.** Snaps in place. Fits M-1063 and M-1067 (above). Finish: Black.
- M-1055** (Larger size.) Fits M-1053 and M-1057 (below).
- J M-1424 Cordette.** (See matching fixtures, pages 16-17.) Portable up-and-down wall fixture for decorative effect and for strong localized light over end table, bed, desk, lounge chair or piano. Three levels of illumination. Adjustable 26" up and down, swings side to side. Extends 22" from wall. Complete with cord that plugs into any outlet. Shade 16" in diameter. 3-way switch. Recommended: three 60-watt. Finish: Polished Brass.
- K M-1367 Stylish "wrap-around" twin bullet** fits any decor. Smart flowing lines are punctuated with diamond perforations. Extends 13 1/4". Width, 25 1/4" overall. 3-way switch. Recommended: two 100-watt or two 75-watt R-30 lamps. Finish: Polished Brass or Polished Copper.
- L M-1363** Same as M-1367 but with single cone. On/off switch.
- M-1347 Something new, entirely different in bullet lights.** Smart wrap-around styling with flange holder gives it a Continental look. Perforated cones are white inside and petite in size. Only 7 5/8" long by 3 3/4" wide. Fixture extends 8 1/4"; 15 1/4" overall width. 3-way switch. Recommended: two 60-watt or two 30-watt R-20 lamps. Finish: Polished Brass.
- N M-1343** Same as M-1347 with single cone. Extends 9 1/4". On/off switch.
- O M-1057 Large twin bullet** suited for accenting large walls or paintings. Wall or ceiling mount. Maximum overall width, 21". Maximum extension, 11 1/2". Accommodates two 150-watt R-40 lamps. ANODIZED aluminum. Finish: Satin Aluminum or Satin Brass.
- P M-1053** Same as M-1057 but single bullet. Maximum overall width, 10 1/2". Maximum overall extension, 12 1/2". Accommodates one 150-watt R-40 lamp.
- Q M-1423 Cordette.** (See pages 16-17 for matching fixtures.) Wall bracket to perk up a room by replacing an old fixture with this attractive "Whirl-Cord", brass wire trimmed fixture. Mount it with open end up or down. Height, 12"; extends 8 1/2" from wall. On/off switch. Recommended: one 75-watt. Finish: Polished Brass.
- R M-1421 Cordette.** (See pages 16-17 for matching fixtures.) Entryway fixture for reception areas, halls. This cheery "Whirl-Cord" fixture can add decorative accents of light over planters, at picture windows, over stairs or anywhere in the home. With lens. Overall height, 9 3/4"; diameter, 7". Recommended: one 75-watt. Finish: Polished Brass.
- S M-1261 One of the most popular decorative accent lights** in use today. Perforated cone casts interesting patterns of light on ceiling. Can be used in any decor... adds a decorative touch over breakfast bars, planters, bookshelves or any small table setting. Has glass lens for concentration of downlight. Length, 7 1/2"; diameter, 5 1/2". Accommodates up to 100-watts. Finish: Polished Brass or Polished Copper.



M




N



O



P



Q



R



S





COMFORTABLE LIGHTING AIDS FAMILY LIVING

Comfort has few ingredients more important than good lighting... for work, for play, for reading. Large, pleasantly proportioned fixtures for abundant overall light; designed to light specific areas for a smart decorative note; these are keys to good lighting... good living!



FLEXIBILITY AND ORIGINALITY FOR BATHROOM LIGHTING

Separate switches control the ceiling light, matched pendants and louvered recessed light — providing utmost flexibility in this attractive, 'way-above-ordinary' lighting scheme.



LOVELINESS MULTIPLIED BY LIGHT
See how greatly the charm of this Eighteenth Century serpentine mirror and table is increased by the elegant traditional chandelier. And how recessed ceiling lights emphasize the dramatic gold walls and appointments.



BY MOE LIGHT

Decorative and functional ceiling fixtures . . . wall brackets

Good general lighting is essential in every room of every home. Properly planned, it provides lighting for comfort, convenience, safety and protection — or for any combination of these purposes. It can be obtained easily and economically by light sources up close to the ceiling. This location gives the widest possible angle of light-diffusion and provides maximum overall lighting for the entire room.

But remember, when choosing close-to-ceiling fixtures, it may be shortsighted to plan for only *one* centrally located fixture. Modern living and lighting standards are seldom satisfied by such single-unit installations. Oftener than not, two, three, even four or more such light sources, properly spaced on your ceiling, will give you far more comfort and satisfaction over the years.

LIGHTING LIGHTENS LABOR

Yes, work can be joy in a setting like this. Two recessed ceiling units and cornice-lighting over the cabinets provide generous illumination for the working areas — handsome pulldown adds cheer to the breakfast table — well proportioned square fixture unifies the entire room with good general lighting.






HINTS ON CERTIFIED INSPIRATION-LIGHTING

Close-to-ceiling fixtures are of two types — decorative, and utility. On the pages following, you will see a wide selection of decorative close-to-ceiling fixtures that will accent the beauty of your furnishings in your living, dining, family and recreation rooms, bedrooms and halls — by day as well as by night. For kitchens, baths, basements, utility rooms, home work-shops and some halls, you will find fluorescent as well as incandescent fixtures in a broad range of utility styles to fit almost any general need.

Wall brackets can add to the decorative decor in dining areas, halls or stairways and also provide Comfort and Convenience lighting. Make sure lighting is provided under cabinets and over work areas in kitchen, utility rooms and work rooms. Provide a light source for every need, then select the right fixture for the purpose.










decorative wall brackets... and utility lights

- A M-1189** Excitingly different! Trim triangular shape of hand blown opal glass and polished brass frame laced with golden nylon cord. Width, 7"; height 12". Recommended: one 75-watt. Finish: Polished Brass.
- B M-1561** Matches M-1560*. Elegance in beautiful bevel-edged clear cut glass with 14K gold design. Overall length, 33 1/2" with chain; 15 1/2" without; 12 1/2" square. Recommended: two 25 to 40-watt flame lamps. Finish: Polished Brass.
- C, D M-841** Popular design in frosted and clear cut glass, brightly accented with slotted brass bands. Overall length with chain, 40". Also can be mounted without chain. Recommended: one 60-watt. Finish: Polished Brass.
- E M-1183** Clever transitional styling that goes well with modern or traditional decor. White bent glass panels with clear lines. Length, 10"; diameter, 7 1/2". Recommended: one 100-watt. Finish: Polished Brass.
- F M-1167** Matches M-766, M-767 (page 34) and M-1166 (below). Versatile bracket light equally useful in bedroom, hall, dining room or bath — any place where a touch of impression or convenience lighting is called for. Golden-beaded, white bent glass. Width, 4 7/8"; length, 12"; extends 4 1/2". On/off switch. Recommended: one 60-watt. Finish: Polished Brass.
- G M-1166** Matches M-766, M-767 (page 34) and M-1167 (above). Unusual and smart — modern wall bracket for hall, dining or bath room. Can be used horizontally or vertically. "Hour glass" ceramic bent glass shade with golden beading. Width, 6"; length, 17 1/2". On/off switch. Recommended: two 40-watt. Finish: Polished Brass.
- H M-1331** Matches M-1335.* Wall bracket with black canopy and white opal glass topped by satin brass shade. Width, 8"; height, 7"; extends 9". On/off switch. Recommended: one 60-watt. Finish: Satin Brass and Black.
- I M-1021** Nicely proportioned wall light with attractive fabric-patterned white bent glass. Height, 7 1/2"; extends 4 1/4"; canopy, 4 1/2" square. On/off switch. Recommended: one 60-watt. Finish: Polished Brass.
- J M-815** Early American, clear hobnail glass design. Diameter, 5"; depth, 6 3/4". Recommended: up to 60-watt. Finish: Polished Brass.
- K M-1175** Matches M-1173 (page 29) and M-1073 (page 15). Directs light through bottom louvered lens for general hall illumination. Height, 7 1/2"; diameter, 6 3/4". Recommended: one 100-watt. Finish: Satin Brass and White.
- L M-744** Shallow design for use in any room where close to ceiling fitting is needed. Only 3 3/4" deep! Perforated satin brass holder; molded white glass. Diameter, 8 1/4". Recommended: one 100-watt. Finish: Satin Brass.
- M M-1141** Matches M-1131 (below). Antique charm, modern utility! Opal glass chimney; polished copper shade. Length, 9"; spread, 8 1/2". Recommended: one 60-watt. Finish: Polished Brass and Copper.
- N M-1131** Matches M-1141 (above). Canopy, 5"; height, 7 3/4"; extends 8 1/2". On/off switch. Recommended: one 60-watt.
- O M-1260** Matches M-1251 (below) and M-1255.* Enchanting period styling; clear floral pattern cut into frosted glass chimney. Length, 9"; spread, 8 1/2". Recommended: one 40-watt. Finish: Polished Brass.
- P M-1251** Matches M-1260 (above) and M-1255*. Wall bracket for hall, living and dining room. Hand cut frosted glass chimney. Extends 7 1/2"; height, 7 3/4"; diameter, 5". On/off switch. Recommended: one 40-watt. Finish: Polished Brass.
- Q M-1551** Matches M-1553 (below) and M-1555.* An authentic period piece in clear cut glass. Height, 14 1/2"; spread, 6 3/4". Recommended: one 25 or 40-watt flame lamp. Finish: Polished Brass.
- R M-1553** Matches M-1551 (above) and M-1555.* Canopy, 6"; extends 6 3/4"; height, 10 1/2". On/off switch. Recommended: one 25 or 40-watt clear flame lamp. Finish: Polished Brass.
- S M-1041** Matches M-1031 (below) and M-1035.* Hall ceiling light. Frosted cut glass chimney. Height, 9"; overall spread, 8 1/2". Recommended: one 40-watt. Finish: Polished Brass.
- T M-1031** Matches M-1041 (above) and M-1035.* For hall and living or dining room. Frosted cut glass chimney. Height, 8"; extends 7". Canopy diameter, 5". On/off switch. Recommended: one 40-watt. Finish: Polished Brass.

* Matching chandeliers can be seen on page 12 and 14.







decorated glass fixtures

for Bedrooms, Dining and Breakfast Areas

Decorated glass fixtures are ideally suited for dining and breakfast areas where fixtures must be close to the ceiling and provide a high level of light. Select your fixture for the decorative treatment the space demands. Keep in mind the table is the principle piece of furniture in the area and its location and use should be considered when selecting the fixture. When choosing one of the beautiful, decorative fixtures shown here, make sure it is large enough to meet all your requirements.*

- A M-4029** Cleverly conceived and nicely executed linen texture etched into the bent glass shade of this ceiling fixture strikes a fresh decorative note. Polished brass clips accent its design. 19" square; depth, 7". Recommended: four 60-watt. Finish: Brass.
- B M-1085** Styled exquisitely for the bedroom. Poinsettia design on frosted white bent glass for soft, diffused light. 17 1/4" square, 6" deep. Recommended: four 60-watt. Finish: Brass.
- C M-4045** Companion piece to M-1022 (page 15). Impressive bedroom fixture. Sparkling golden-beaded sunburst on white bent glass. 22" wide, 6" deep. Recommended: four 60-watt. Finish: Brass.
- D M-4020** Matches M-4018 (below). Lively crystal beading animates the shiny white glass shade of this large but graceful contemporary creation. Ball-tipped brass stems accent the unusual, reverse-bend center and harmonize with the golden edging. 20" square; 7" deep. Recommended: four 60-watt. Finish: Brass.
- E, F** A most interesting bedroom fixture. Clear lattice lines with golden-beaded squares on white ceramic reverse-bend bent glass. Finish: Brass.
E M-216 17" square, 5 3/8" deep. Recommended: four 60-watt.
F M-214 14" square, 4 7/8" deep. Recommended: four 40-watt.
- G M-4017** Strikingly handsome reverse-bend bent glass with gold animated 3-dimensional leaf pattern adds distinction to bedroom or family room. 17" square; 5 3/8" deep. Recommended: four 60-watt. Finish: Brass.
- H M-4023** Sweeping curves that enhance the beauty of recreation room or bedroom decor. Polished brass frame gracefully supports the shade of bent glass, which has fired-on gold lines to accent its pleasing proportions. 18" square; 7" deep. Recommended: four 60-watt. Finish: Brass.
- I M-4027** Sharply up-to-the-minute in styling, this round ceiling fixture helps bring out bedroom beauty in any home. White bent glass shade features a fashion-wise stippled design, polished brass clips. Diameter, 19"; depth, 7". Recommended: four 60-watt. Finish: Brass.
- J M-4026** Representative of today's finest styling, this ceiling fixture is ideal for recreation rooms and large bedrooms or dining rooms, because of the abundance of light it furnishes. White bent glass shade has a linen texture design; clear glass bottom lens concentrates downlight, louvered to prevent glare. Shade, 19" square. Overall depth, 7". Recommended: four 60-watt and one 75-watt. Finish: Brass.
- K M-4018** Companion to M-4020 (above) except round. Graceful for your bedroom. White bent glass with crystal beading, golden-color edging and ball-tipped brass stems accenting the reverse-bend center. 18" wide, 7" deep. Recommended: four 60-watt. Finish: Brass.
- L M-1089** Formal silver-leaf design and silver-color edging add a gracious decorative touch to any bedroom, enhance the effect of any tinted ceiling. 16" square; depth, 5 1/2". Recommended: four 60-watt. Finish: Chromium.


*See "How to Determine Correct Size Fixture," p. 27.




H




I




J




K



L



A




B



C



F




D



E




G



H



K



I



J



L



M





decorated glass fixtures

for Bedrooms, Dining and Breakfast Areas

Your bedrooms can receive all the general lighting they need from the fixtures on these two pages . . . IF you choose fixtures big enough to suit each room's size.* And there's no need to hesitate about doing this . . . because a large, generously "oversize" unit enhances the room's pleasing proportions and provides softer, better light distribution for dressing, seeing into dresser drawers, and cleaning the room. So, be wise . . . choose "king size"!

A M-1082 Conversation piece in any home. Contrasting harlequin design on frosted-and-white glass. 14" square, 5" deep. Recommended: two 60-watt. Finish: Brass.

B M-1077 Lovely bedroom design, agrees with traditional or modern furniture. White bent glass with frosted lattice design. 14" square, 5½" deep. Recommended: two 60-watt. Finish: Brass.

C, D, E M-260 Match or contrast 'most any bedroom color scheme with this attractive ceiling fixture. Frosted pastel bent glass shade with clear overlapping spiral lines. Diameter, 12½"; depth, 5¼". Choice of three colors: rose; turquoise; white. Recommended: two 60-watt. Finish: Brass.

F M-263 Matches M-1018 (page 13). Golden edging around the rim and golden-beaded flower-trellis design on white glass impart a winning air of naivete. Diameter, 14"; depth, 6". Recommended: three 60-watt. Finish: Brass.

G M-265 Same as M-263 (above) except: diameter, 16". Recommended: four 60-watt.

H, I, J M-1081 A square fixture much favored for the smaller room. Frosted pastel tinted glass in rose, turquoise, or white. Clear-line lattice design. 12" square, 5½" deep. Recommended: two 60-watt. Finish: Brass.

K M-232 Irresistibly attractive, frosted-leaf design on golden-edged white glass blends wonderfully well with any bedroom color scheme. Diameter, 14"; depth, 5". Recommended: two 60-watt. Finish: Brass.

L M-233 A gay pattern with effervescent vitality! Random-effect ribbon and "bubbles" design on white glass. Diameter, 14"; depth, 5". Recommended: two 60-watt. Finish: Brass.

M M-4015 Blending with modern or traditional settings, this deep, round, white glass bowl has a flowing wrought-iron design for dramatic contrast. 15" diameter, 6" deep. Recommended: four 60-watt. Finish: Brass.

N, O, P Striking contrast of black geometric design on popular linen-textured white glass. Three sizes, to fit most rooms. Depth, 5½". Finish: Brass.

M-222 12" square. Recommended: two 60-watt.

M-224 14" square. Recommended: two 60-watt.

M-226 16½" square. Recommended: four 60-watt.

Q, R, S Delicate golden-beaded floral spray on golden-edged white bent glass. Three popular sizes. Depth, 5". Finish: Brass.


M-4002 Petite. 12" square. Recommended: two 60-watt.

M-4004 Demi. 14" square. Recommended: two 60-watt.


M-4006 Luxury. 16" square. Recommended: four 60-watt.

*HOW TO DETERMINE CORRECT SIZE FIXTURE


A good rule of thumb in picking the correctly proportioned fixture for a room is to use the formula: Length plus width divided by two, times one and one-half equals the fixture diameter. Suppose you have a room 16' x 12': 16 plus 12 is 28 — divided by 2 is 14. Multiply that figure by 1½ and you get 21. Therefore, 21" is the proper diameter of a lighting fixture for that room. This diameter can be varied one or two inches either way with satisfying results.



N



O



P




Q




R




S




B




C



D



E



F




A




G



H



I



J










Right and Bright for Small Areas . . . or for Multiple Use in Larger Rooms

The smaller the hall, entryway, den or other room, the more important it is to choose extremely attractive lighting fixtures — because they become more prominent as room-size decreases.

The fixtures on these two pages are noteworthy for their excellent designs. They not only provide generous lighting within their range but, also, each is highly decorative by day as well as by night. In fact, so appealing is their charm that you may be inspired to use two, three or even more of a single style to light larger rooms. Their beauty grows even more entrancing with such happy repetition!

- A M-1186** Truly sensational! Eleven inches of beautifully dramatic ceiling fixture for bedroom, family room, reception area. Perforated polished brass shade with surrounding clear glass edge-lighted disc diffuser with vivacious golden and white lines to add animated charm. Exquisite when lighted. Diameter, 18"; height, 11". Recommended: one 150-watt. Finish: Polished Brass.
- B M-1575 Spiralite.** (See pages 16-17 for matching fixtures.) Smartly simple close-to-ceiling sculptured fixture that sheds a pleasant light in hall or family room. White, ceramic-decorated glass. Diameter, 11 3/8"; depth, 5". Recommended: two 60-watt. Finish: Polished Brass.
- C M-4061** Pinpoint shadow patterns on ceiling come from the smartly designed perforated shade; excellent "utility" light comes through the decorative bottom glass. For kitchen, hall, bath. Diameter, 12"; depth, 6". Recommended: two 60-watt. Finishes: Polished Brass or White with Chromium trim.
- D M-4062** Same as M-4061 (above) except 16" diameter. Recommended: three 60-watt.
- E M-1475 Luxwood.** (See pages 16-17 for matching fixtures.) Stunning drum of genuine walnut wood for hall, bedroom, recreation room. Harmonizing with decor by day; translucent when lit, to show beautiful grain patterns. White bottom glass. Diameter, 18 1/2"; depth, 5 1/2". Recommended: three 75-watt. Finish: Polished Brass.
- F M-1471 Luxwood.** (See pages 16-17 for matching fixtures.) Smaller drum for halls. Like M-1475 except: diameter, 12 1/4"; depth, 5 1/2". Recommended: two 60-watt. Finish: Polished Brass.
- G M-716** Dainty cut glass drum for hall or entry. Converts easily to pull-chain. Diameter, 6 1/2"; depth, 5 1/4". Recommended: up to 60-watt. Finish: Polished Brass.
- H M-738** Soft light fills bedroom or hall with this white opal glass fixture. Converts easily to pull-chain. Diameter, 8"; depth, 4 3/4". Recommended: one 60-watt. Finish: Polished Brass.
- M-740** Same as M-738 but diameter, 10"; depth, 5"; two 60-watt.
- I M-728** Striking Colonial cut glass bowl for bedroom or hall. Converts readily to pull-chain. Diameter, 8"; depth, 4 3/4". Recommended: one 60-watt. Finish: Polished Brass.
- M-730** Same as M-728 but 10" diameter, 5" deep, two 60-watt.
- J M-1425 Cordette.** (See pages 16-17 for matching fixtures.) Carry the airy Cordette Casual feeling throughout your home — in bedrooms, living room, recreation room, kitchen, hall. "Whirl-Cord" shade, 6 1/2" deep, 16" diameter. Recommended: three 60-watt. Finish: Polished Brass.
- K M-1566** There's a clinging aura of the Orient in this smartly styled hall ceiling fixture — an unusual touch of charm. Perforated white shade with opal glass. Diameter, 12"; overall length, 23". Recommended: one 100-watt. Finish: White and Polished Brass.
- L M-1173** Matches M-1073 (page 15) and M-1175 (page 22). Unique and modern ceiling fixture for glareless diffused bedroom lighting. White shade. Louvered downlight. 8" high, 16" diameter. Recommended: one 100-watt. Finish: Satin Brass.
- M M-4066** Sleek, well-balanced lines make this an excellent fixture for bedroom, kitchen, or family room. Its accent is modern, with a white bent glass shade that directs all the light downward. Hangs 5" from the ceiling, 16" diameter. Recommended: two 60-watt. Finish: White.
- N, O, P** Ultra-modern, smartly styled ceiling fixture in three sizes and finishes to fit 'most any size kitchen or bathroom and to harmonize with any decorative scheme. Shallow, perforated square with drop-style white opal glass diffuser provides soft, "shadowless" light of unusually high efficiency. Depth, 4". Finishes: Polished Brass, Satin Chromium, Polished Copper.
- N M-4086** 16" square. Recommended: four 60-watt.
- O M-4080** 12 1/2" square. Recommended: four 40-watt.
- P M-4078** 8 1/2" square. Recommended: one 100-watt.
- Q M-4050** Unusual and smart in bedroom, kitchen, family and recreation room. Translucent plasticized aspen wood slat side panels. White bottom glass. 15" square, 6" deep. Recommended: up to four 60-watt. Finish: Polished Brass.






B



C



D



E



F



A




G



H



Adjustable reflector-shield
directs light where
you want it.





Fixtures that Feature Function *plus* Fashion

Some rooms require the extremely high light-level provided by most "utility" fixtures — yet are so charmingly furnished or so attractively equipped that they call for lighting fixtures that will gracefully accentuate their charm and attractiveness, as well as provide high efficiency illumination. Smartly styled recreation or rumpus rooms, modern kitchens and efficiently equipped utility rooms are among those that demand the combination of fashion and function featured in the fixtures shown here.

A M-402 Low-ceilinged rooms have long presented a lighting problem to architects, builders, homeowners and housewives. This fabulously smart fixture solves that problem perfectly. Superbly styled to enhance the attractiveness of any recreation room, kitchen, utility room or breakfast nook, its depth is a mere 5 1/4" although it measures fully 12 3/4" square. Hand-blown opal glass comprises almost all of its visible portion, diffusing the light softly yet with utmost efficiency. Recommended: two 100-watt. Finish: Satin Aluminum.

B M-653 The smartly curved, tapering lines of this white glass ceiling fixture add decorative value to its usefulness in kitchen, bath, hall or breakfast room. Bottom glass, clear with interesting waffle pattern. Diameter, 7"; depth, 7 1/2"; width across corners, 7 3/8"; canopy, 4 3/4". Recommended: one 100-watt. Finish: Chromium.

M-654 Same as M-653 but larger. Diameter, 7 3/4"; depth, 8"; width across corner, 9 1/2"; canopy, 5 1/2". Recommended: 150-watt.

C M-630 Fashion-flared cone of molded opal glass features the sharp simple lines that so beautifully accent any decorative style in game room, kitchen, hall or any other location in the home that calls for high-level lighting. Diameter, 11"; depth, 8"; canopy, 6". Recommended: one 150-watt. Finish: Chromium.

D M-4072 "Style slanted" sides enhance the trim appearance of this perforated chromium fixture with white bottom glass. Strikes a pleasant contemporary note in kitchens and breakfast, dining and family rooms. Overall depth, 6 3/4"; 14" square. Recommended: four 60-watt. Finish: Chromium.

E M-458 Perfect for low ceilings. Clear glass bottom has concentric ribbing and chrome knob. Diameter, 8". Depth, 5". Recommended: one 60-watt. Finish: Chromium.

F M-460 Same as M-458 but larger. Depth, 5 1/4"; diameter, 10". Recommended: two 60-watt.

G M-354 Makes kitchen chores lighter! Ideal for remodeling because panel is adjustable up and down to fit over vertical or horizontal outlet. White bracket and end caps, with ribbed plastic diffuser. Length, 26 1/4"; height, 4 1/2"; extends 4 3/4". Switch and convenience outlet. One 20-watt fluorescent. Finish: White Enamel.

H M-352 Banishes shadows under cabinets, gives welcome working light in kitchen or work shop. Adjustable metal reflector shields bulbs, directs light where you want it. (See sketch below.) Large backplate covers vertical or horizontal outlet box. Length, 13"; height, 4"; extends 5 1/4". Useful convenience outlet. Canopy switch. Recommended: two 60-watt. Finish: White Enamel.

I, J, K Classic drum-type fixture with slightly tapered sides. Genuine pure white opal-glass for even, bright, "shadowless" illumination. Easily converted to pull-chain. All popular sizes. Finish: Chromium.

M-416 Three 100-watt. Diameter 16". Depth 5 7/8".

M-414 Three 75-watt. Diameter 14". Depth 5 3/4".

M-412 Three 60-watt. Diameter 12 1/2". Depth 5 5/8".

M-410 Two 75-watt. Diameter 10 1/2". Depth 5 1/2".

M-408 Two 60-watt. Diameter 8 1/2". Depth 5 3/8".

M-406 One 60-watt. Diameter 6 7/8". Depth 4 3/4".

L M-31 Utility light for general use. Wired; individually packaged, with mounting strap. Fits up to 4" outlet box. Canopy, 4 3/4"; length, 3 1/2". One light, any size to suit the purpose. Finish: Ivory.

M, N Louvered bottom concentrates downlight. Easily converted to pull-chain. Four convenient sizes. Finish: Chromium.

M-432 Three 60-watt. Glass diameter 12".* Depth 6".

M-430 Two 75-watt. Glass diameter 10".* Depth 5 3/4".

M-428 Two 60-watt. Glass diameter 8".* Depth 5 1/2".





M-426 One 60-watt. Glass diameter 6 1/2".* Depth 5".

*Glass diameter. Fixture band diameter 1/2" larger.

O Polished copper pan, embellished with shimmering brass gallery. White opal glass shade. Depth, 5 1/2". Finish: Polished Copper.

M-478 Two 60-watt. Diameter, 8 1/2".

M-480 Two 75-watt. Diameter, 10 1/2".






Valance lighting highlights drapes in living and dining rooms.




Window valance lighting accents drapes and also provides excellent general lighting.



M-6360 MOE LIGHT DIMMER — Newest, smartest, most impressive lighting effects ever! From full brilliance all the way down to softest twilight glow at the turn of the new Moe Light "dimmer switch"! Especially beautiful with cove, cornice and valance lighting (use fluorescent fixture M-4146 only). Also may be used with incandescent lamps. See pages 6 and 7 for complete details.




F



G




H



END VIEW OF
ITEM B


END VIEW OF
ITEMS C, D, E



Coverplate snaps on in a jiffy after wiring has been completed and tested. No screws, no tools, no effort!

Moe Light strip lights come with all electrical parts, including wiring, assembled to the body for quick, easy installation.

YES! IT'S EASY FOR YOUR HOME TO HAVE VALANCE, CORNICE OR COVE LIGHTING!



Although cornice and cove lights are often built-in, in modern homes, their installation in older homes is a relatively simple and inexpensive project. Valance lighting is even easier. Many kinds of standard cornice boards and valances are available from your local department store or building supply dealer. Installing Moe Light strip fixtures is simplicity itself:

1. Use Moe Light fluorescent strip units individually, or butted end to end to the desired length. Determine the number of fluorescent strips you need and order one set of M-4100 brackets for each strip.
2. Easiest mounting possible... simply fasten each set of brackets to the wall at intervals to fit the length of the fluorescent strip. The strip slides inside the brackets.
3. Fasten strip units together and make connection to outlet. This completes the installation in previously installed coves or cornices.
4. With valances, you now fasten front panel and finishing ends to the specially designed slotted piece on the bracket. Varnish, paint—or cover the panels with fabric or wallpaper.



valance, cornice and cove lighting

Can Glamorize Any Room In Your Home

There's almost no limit to the dramatic effects you can achieve with ultra-fashionable concealed "strip lighting". You can add spectacular new effects to picture windows, draperies, mantels and walls in living, family and dining rooms. You can create cool, restful bedroom wall-lighting. You can make your kitchen cheery and glamorous as a ball-room with lighting at windows and breakfast nooks. See opposite page (p. 32) for "easy-to-do" details.

A M-4100 One set of two Moe Light VALANCE BRACKETS only. Height 4 1/2". Width 3/4". Extends 6" to 9". Finish: White Enamel.

B, C, D, E All purpose strip lighting. Removable end caps used as couplings for end-to-end mounting (except M-4240 and M-4243). Sufficient knockouts and mounting holes for easy installation. Knockouts for pull switch. Fixture body 2 5/8" wide. Extends 3 3/8". For 110-125V, 60 cycle A.C. Finish for all fixtures: Baked White Enamel.

B M-4240 Two 40-Watt, H.P.F., Parallel. Length 48". Body 5 3/8" wide.

M-4243 Same as M-4240 except with Rapid Start.

C M-4180 Two 40-Watt, H.P.F., Tandem. Length 97".

M-4183 Two 40-Watt, H.P.F., Tandem. Rapid Start. Length 97".

D M-4130 30-Watt, L.P.F., Length 37".

M-4136 30-Watt, L.P.F., Length 37". Rapid Start.

M-4137 30-Watt, H.P.F., Length 37". Rapid Start.

M-4140 40-Watt, L.P.F., Length 49".

M-4141 40-Watt, H.P.F., Length 49".

M-4142 40-Watt, L.P.F., Length 49". Rapid Start.

M-4143 40-Watt, H.P.F., Length 49". Rapid Start.

M-4146** 40-Watt, L.P.F., Length 49". "Dimmer" Ballast. Rapid Start.

E M-4115 15-Watt, L.P.F., Length 19".

M-4117 15-Watt, L.P.F., Length 19". Trigger Start.

M-4120 20-Watt, L.P.F., Length 25".

M-4126 20-Watt, L.P.F., Length 25". Trigger Start.

** M-4146 "Dimmer" Ballast. (See pages 6-7.) Only M-4146 can be used with dimmer control.

Other Moe Light Fluorescent Fixtures

F M-4802 Two-light 40-Watt. Long, shallow design spreads light over wide area. H.P.F. Length 50 3/4". Width, 8"; depth, 3 1/2". Finish: White with Chromium End Caps.

G M-2402 Two-light 20-Watt. Scientifically designed reflector spreads light evenly. L.P.F. Length 26 3/4". Width, 8"; depth, 3 1/2". Finish: White with Chromium End Caps.

H M-2404 Large four-light 20-Watt fluorescent. L.P.F. 26 3/4" long. Width 10 1/2"; depth, 3 1/2". Finish: White with Chromium End Caps.

I M-1243 Three-light rapid-start circline fluorescent. L.P.F. One 40-watt, one 32-watt, and one 22-watt lamp.* Metal backplate approved for 60° building wiring. Diameter 16"; depth 4". Finish: Chromium.

J M-1242 Two-light rapid-start circline fluorescent. L.P.F. One 40-watt and one 32-watt lamp.* Metal backplate approved for 60° building wiring. Diameter 16"; depth 3 1/2". Finish: Chromium.

K, L Two-light rapid-start circline fluorescent kitchen ceiling fixtures. L.P.F. One 32-watt, one 22-watt.* Metal backplate approved for 60° building wiring. Diameter, 12"; depth, 3 1/2".

M-1202 Finish: Polished Copper.

M-1212 Finish: White Enamel.






M-1232 Finish: Chromium.

M Single-light rapid-start circline fluorescent fixtures. L.P.F. One 32-watt.* Diameter, 12"; depth, 3 1/2". Metal backplate approved for 60° building wiring.

M-1211 Finish: White Enamel.


M-1231 Finish: Chromium.

* All Moe Light Circline fixtures are packed complete with the fluorescent lights specified.




CIRCLINE STEEL BACKPLATE


All Moe Light circline lighting fixtures come with steel backplates that seal off wiring from the ceiling. Easier to install. Approved for connection to 60° building wiring.




B



A




C




D




E



O




G




H



I



J



K



L



M



N



O

bathroom fixtures and cabinets

- A M-767** Matches M-766 (below), M-1166 and M-1167.* White glass with sparkling crystal beads. Length, 12"; width, 4 $\frac{7}{8}$ "; extends 4 $\frac{1}{2}$ ". Turn switch and convenience outlet. Recommended: one 60-watt. Finish: Chromium.
- B M-766** Matches M-767 (above), M-1166 and M-1167.* Install horizontally or vertically. Length, 17 $\frac{1}{2}$ "; width, 6"; extends 4 $\frac{1}{2}$ ". Turn switch and convenience outlet. Recommended: two 40-watt. Finish: Chromium.
- C M-314** Matches M-116, M-311 and M-312 (below). "King size" wall light. White perforated reflector and frosted glass diffuser. Length, 49"; width, 4"; extends 4 $\frac{1}{2}$ ". Convenience outlet. Turn switch. 40-watt fluorescent.** Finish: Chromium and White.
- D M-700** Clear ribbed bottom glass. Canopy, 4 $\frac{3}{4}$ "; width, 4 $\frac{3}{8}$ "; extends 7 $\frac{1}{4}$ ". Convenience outlet. Pull-chain switch. Up to 75-watts. Finish: Chromium.
- M-702** Same as M-700 (above) but without switch.
- E M-703** Even light distribution, least glare. Ribbed crystal bottom glass. Canopy, 4 $\frac{3}{4}$ "; width, 6 $\frac{1}{2}$ "; extends 7 $\frac{1}{4}$ ". Convenience outlet. Pull-chain switch. Up to 75-watts. Finish: Chromium.
- F M-749** Matches M-768 (below). Use above or at sides of mirror. White frosted glass. Length, 25"; width, 4 $\frac{1}{2}$ "; extends 4 $\frac{3}{4}$ ". Turn switch and outlet. Recommended: four 25-watt; maximum, four 60-watt. Finish: Chromium.
- G M-312** Matches M-116, M-311 (below) and M-314 (above). Fluorescent.** Length, 25"; width, 4"; extends 4 $\frac{1}{2}$ ". Convenience outlet. Turn switch. Recommended: one 20-watt fluorescent. Finish: Chromium and White.
- M-311** Incandescent version of M-312. Recommended: four 40-watt.
- H M-115** For top or sides of mirror. Width, 4"; length, 12"; extends 4 $\frac{1}{2}$ ". Turn switch and outlet. Recommended: two 60-watt. Finish: Chromium.
- I M-116** Matches M-311, M-312 and M-314 (above). Length, 13"; width, 4"; extends 4 $\frac{1}{2}$ ". Convenience outlet. Turn switch. Recommended: two 60-watt. Finish: Chromium and White.
- J M-131** Appealing in design, effective in its lighting, this attractive bracket is almost universally used in pairs — one on each side of bathroom or make-up mirror. Canopy, 4 $\frac{1}{2}$ "; height, 6"; extends 4 $\frac{1}{2}$ ". Convenience outlet. Turn switch. Up to 75-watts. Finish: Chromium.
- K M-317** For over bathroom cabinets. White ribbed plastic. Length, 31"; height, 2 $\frac{3}{4}$ "; extends 4 $\frac{3}{4}$ ". Turn switch. Convenience outlet. Includes two 14-watt trigger-start fluorescent lamps. Finish: Chromium.
- L M-337** Snap-on white glass shade only. Handsome geometric pattern. Fits M-339 and M-359. Length, 18 $\frac{1}{2}$ "; width, 2 $\frac{1}{2}$ ".
- M M-336** One-piece adjustable metal reflector for use with M-339 and M-359 fluorescent brackets. Length, 18 $\frac{1}{4}$ "; width, 2 $\frac{1}{8}$ "; extends 3 $\frac{3}{4}$ " from wall when installed on fixture. Shields bulb, and adjusts to direct the light where you want it. Finish: Chromium.
- N M-339** 15-watt fluorescent.** Convenience outlet. Turn switch. Length, 21"; width, 2 $\frac{1}{4}$ "; extends 3 $\frac{1}{2}$ "; outlet box flange, 3 $\frac{1}{4}$ ". Finish: Chromium.
- M-359** Same as M-339 except with trigger-start ballast.
- O M-319** Side lighting at its best! Width, 1 $\frac{1}{2}$ "; length, 25"; extends 2 $\frac{1}{4}$ "; outlet box flange, 3 $\frac{1}{2}$ ". Convenience outlet. Turn switch. 15-watt fluorescent.** Finish: Chromium.

MOE LIGHT BATHROOM CABINETS

Money cannot buy finer Bathroom Cabinets! Irresistibly beautiful in today's smartest "square" design, each is formed from a single sheet of deep-drawn, heavy gauge steel without welds or seams.




- Lustrous, non-yellowing, baked white enamel finish.
- Gleaming stainless steel mirror frames.
- Magnetic door-catch closes quietly, shuts tight, holds securely.
- Door-stops built into hinges eliminate stop-bar found in other cabinets.
- Mirrors are best quality, highly polished, heavy plate glass.†

- P MC-1683** Two fine cabinets integrated into one, BOTH with large sliding doors, chromium pulls; TWO chromium-plated side lights, with convenience outlet, turn switch and 15-watt fluorescent lamps (included). Four adjustable shelves; 2 razor blade slots. Wall opening: 29" x 18" x 3 $\frac{3}{4}$ ". Overall dimensions: 37" x 20 $\frac{1}{2}$ ", including side lights. Overall mirror size: 30" x 17".
- Q M-768** Larger version of M-749 (above). Fits over double cabinets. Length, 31"; height, 4 $\frac{1}{2}$ "; extends 4 $\frac{3}{4}$ ". Convenience outlet. Turn switch. Recommended: six 60-watt. Finish: Chromium.
- R MC-1681** Same as MC-1683 (above), without lights. Dimensions 31" x 20 $\frac{1}{2}$ ".
- S MC-1652** Single cabinet; fluorescent side lights with chromium-plated end caps, turn switch and convenience outlet. Can be installed for right or left hand opening. Two 15-watt lamps included. Wall opening: 14" x 18" x 3 $\frac{3}{4}$ ". Mirror size: 16" x 22".
- T M-747** Fits over single cabinets. White frosted glass. Length, 16"; height, 4 $\frac{1}{4}$ "; extends 4 $\frac{3}{4}$ ". Convenience outlet. Turn switch. Takes two 60-watt incandescent lamps. Finish: Chromium.
- U MC-1602** Same as cabinet MC-1652 (above) except unlighted.
- MC-1601** Same as MC-1602 (above) except best window glass mirror.

*See index in back of book for matching fixtures.

†Except economy-model MC-1601.

**All fluorescent fixtures are 60-cycle A.C., L.P.F. unless otherwise specified. Lamps not included unless so stated.



P

Q

R

S

T

U



FIRST IMPRESSIONS . . .

The friendly home welcomes guests with its dramatic exterior lighting. A brightly illuminated approach speaks well of the hosts' thoughtfulness for callers' safety and comfort. Under-eaves lights dramatize the texture of the walls and surrounding areas making them glow with hospitality.



BREATH-TAKING NIGHT-TIME BEAUTY

A gracious invitation of welcome to guests. Recess fixtures under eaves highlight the colorful walls and entranceway. Wall lanterns on each side of garage doors are an important safety feature and a deterrent to prowlers.



SURROUND YOUR HOME WITH A HALO OF LIGHT

A luxury look at modest cost. Well lighted entry-walk dramatizes Early American brick wall and walk . . . brightens the surrounding area.



BY MOE LIGHT

Outdoor post... wall and ceiling lanterns

Nothing, absolutely *nothing* else can glorify your home's exterior as well as creatively planned outdoor lighting. Ranch house cuddling close to the ground or Southern Colonial with towering colonnades, city home or country villa — no matter what its style or location, your home wins the admiration of passers-by, bids warm welcome to guests, discourages pranksters and prowlers, when you are lavish and judicious in your use of the outdoor lighting fixtures shown here and on the following pages.

A CHEERFUL HELLO TO GUESTS
A breath-taking setting that makes the home a show-place. Hidden recessed lighting accents the beautiful walls and entry-way. The modern post lantern is a must for any well planned home.



HINTS ON CERTIFIED INSPIRATION-LIGHTING OUTDOORS

Use your imagination! Post lanterns beside your entrance walk are undeniably beautiful... but think how much more *dramatic* to have several random-spaced about your lawn! And often even more *efficient* for practical lighting purposes.

Coach-type lanterns flanking doorways are familiar and charming. They're less familiar but equally charming at the corners of your home, lighting the driveway, or at both sides of your garage doors. Some entry posts also invite their use.

Single and double bullet lights on the house wall or under the eaves serve as entry lights to greet guests; accent lights to glorify wall texture, emphasize flowerboxes or illuminate your house number; and as general lighting for your patio or cook-out area.

Recessed lights built into porch ceilings or roof overhang, and aisle lights in walls or step-risers, afford further scope for your imagination in designing *Inspiration-Lighting* that dramatizes your home's exterior beauty!



B



C



D



A



E



G



H




I




N



J



F



K



O

Weatherproof
Convenience Outlet



Available on M-913 post... for your electric lawnmower... hedge-clipper... Christmas tree lights... outdoor rotisserie... portable TV. Located 6" above ground when post is installed. UL-approved to withstand rain, snow and sleet.

Note: All Moe Light lanterns fit all Moe Light posts. Order lanterns and posts separately.

inspiration-lighting outdoors

Talk of the town... admiration of all eyes... that's what your home becomes when you dress up its exterior with Inspiration-Lighting. One simple post lantern by itself works wonders. Use two or more, add a few strategically placed "bullet" accent lights, and nighttime passers-by will stop and exclaim with pleasure at the dramatic beauty you will have achieved!



- A M-843** Lantern of "Old English" design. Polished beveled glass panels framed in polished brass. Tall frosted glass chimney. Solid top directs all light downward. $9\frac{1}{2}$ " square, $18\frac{1}{4}$ " high. One 100-watt. Finish: Black on Solid Aluminum, Solid Polished Brass trim.
- B M-844** Large, all-purpose. Glass panels. Frosted glass chimney. $9\frac{1}{2}$ " square; height, $19\frac{1}{4}$ ". Recommended: one 100-watt. Finish: Black on Solid Aluminum; with Solid Brass ornament.
- C M-824** Matches M-825, M-826 (page 40). Low-cost glamor for steps, entries, grounds. Frosted glass panels with clear lines. $8\frac{1}{2}$ " square, $12\frac{1}{2}$ " high. Recommended: one 75-watt. Finish: Black on Solid Aluminum; Solid Brass ornament.
- D M-853** Excellent modern design especially appropriate for patios. 20" shade with attractive supporting rods. Frosted glass bowl. $11\frac{1}{2}$ " high. Up to 150-watt. Finish: Black on Solid Aluminum; Solid Brass trim.
- E, F M-823** Low-cost lantern with luxury touches. Glass panels. Tall frosted "Early American" chimney. $8\frac{1}{2}$ " square, $14\frac{3}{4}$ " high. Recommended: one 100-watt. Finishes: (E) Black on Solid Aluminum; Polished Brass ornament. (F) Weathered Solid Brass.
- G M-845** Light shines both up through panels in top canopy, as well as down; makes enchanting "halo" under trees, near shrubbery, in gardens. $9\frac{1}{2}$ " square; height, 19". Clear glass panels. Recommended: one 100-watt. Finish: Black on Solid Aluminum; Solid Brass ornament.
- H M-906** Solid redwood with "antique" edge. Black steel bracket. Fits all Moe Light posts except M-901.
- I M-907** Solid redwood with "antique" edge; ornamental scroll black steel bracket fits M-901 wrought-iron post.
- J M-1818** Strikingly new-design lantern brings a fresh, smart note of today's styling to outdoor lighting. Hand-blown opal glass. Diameter, 16"; height, 14". Recommended: one 100-watt. Finish: Black on Solid Aluminum, with ANODIZED* Brass rings.
- K M-1853** Elegant new lantern in chic contemporary mode. Shade, arms, black on aluminum. Hand-blown opal glass. Solid brass ornament. 11" high, 16" diameter. Up to 150-watts. Finish: Black on Solid Aluminum.

Moe Light LANTERN POSTS

NOTE: Order lantern posts separately. All Moe Light lanterns fit any other post with 3" outside diameter. All posts are drilled for M-906 house identification boards except post M-901 which takes M-907 board.

- L M-901** Lattice-style black wrought-iron post. A pleasing departure from the usual in lantern posts, yet it accents the charm of traditional as well as contemporary lanterns. 82" high overall. Drilled for bracket M-907. Finish: Black.
- SOLID ALUMINUM POSTS** Gracefully fluted, with traditional ladder-rest. Drilled for name plate bracket M-906. Finish: Black.
- M M-905** Non adjustable. (Overall height, 84".)
- N M-903** Adjustable from 72" to 84" high overall.
- M-913** Same as M-903, but with weatherproof convenience outlet.
- O M-900** Lifetime heavy gauge steel post. Adjusts 63" to 88". Finish: Black.
- P M-807** Spot or flood for under eaves. $19\frac{1}{2}$ " spread. Accommodates M-1083 louvers. Two 100-watt or two 75-watt R-30 lamps. Finishes: Black on Solid Aluminum with Solid Copper trim; or Satin ANODIZED* Natural Alum.
- Q M-803** Single version of M-807. Height, $7\frac{1}{4}$ "; extends $10\frac{1}{2}$ ". One 100-watt or one 75-watt R-30 lamp. Same finishes.
- R M-1057** Extra-large solid aluminum twin accent, or outdoor spot or flood-light. For wall or ceiling mounting. Maximum extension, $11\frac{1}{2}$ ". Maximum overall width, 21". Accommodates M-1055 louvers. Takes up to two 150-watt R-40 lamps. Finishes: Satin Aluminum or Satin Brass ANODIZED* finishes on Solid Alum.
- S M-1053** Same as M-1057, but single light. Maximum extension, $12\frac{1}{2}$ ". Maximum overall width, $10\frac{1}{2}$ ". Accommodates one 150-watt R-40 lamp. Finishes: Satin Aluminum or Satin Brass ANODIZED* finishes on Solid Alum.
- T M-1083** TENSION-FIT LOUVER Snaps in, reduces glare. Small size; fits M-807 and M-803 (above). Finish: Black.
- M-1055** Larger louver. Fits M-1053 or M-1057 (above). Finish: Black.
- U M-4900** Makes it easy to dramatize trees, ground with light! Solid aluminum directionally adjustable lamp holder. Mounts on flat surface or $3\frac{1}{4}$ " or 4" outlet box. Includes 5" stake, 6' SJT cord and plug. Adjustable 360°. Recommended: one PAR-38 or one R-40 lamp (not included).

* "Now Moe Light is first to offer permanent ANODIZED ALUMINUM FINISHED. Prevents pitting and corroding, for long life and lasting beauty."



B



C




D



E



A



F




J



G



H



I



K




L



M



N






cheerful outdoor lighting

That Guides and Welcomes Your Guests.


Wall or ceiling lanterns add quaint dignity and charm to doorways, porches, breezeways and carports. The structural styling of your home should guide your selection, from these pages, of the type of fixture to use at each location.

- A, B M-895** New "swept wing" contemporary wall bracket that combines elegance with utility; for porches and other outdoor uses. 9" high, 5½" wide, extends 7". White ceramic glass. Recommended: one 75-watt. Finishes: Black or ANODIZED* Satin Brass on Solid Aluminum.
- C, D M-865** Inexpensive, decorative outdoor porch or entryway light of modernized traditional styling. Width, 8"; height, 6¾"; extends 5¾". Textured flat glass. Recommended: one 75-watt. Solid brass ornament. Three Finishes: Black or ANODIZED* Polished Brass on Solid Aluminum; Solid Antique Copper.
- E M-885** Handsome modern doorway lantern — especially good in pairs. Gracefully tapered white opal glass diffuser. 8½" high, 8¾" wide, extends 9". Recommended: one 75-watt. Finish: Black on Solid Aluminum, with Polished Solid Brass.
- F M-825** Matches M-826 (below) and M-824 (page 38). Unusually appealing ceiling light. Frosted panels with clear lines. 9½" deep, 8½" square. Recommended: up to one 75-watt. Finish: Black on Solid Aluminum.
- G M-882** Matches M-880 and M-881 (below). Attractive and efficient for breezeway or porch. Molded ringed clear glass particularly glamorous with tinted bulb. 5" wide, 7" deep. Recommended: one 75-watt. Finish: Polished Solid Brass.
- H, I** Ultra-modern outdoor ceiling light and matching wall bracket. Functional with interesting contemporary design. Die cast solid aluminum with molded opal glass. Recommended: one 100-watt. Finish: Satin Aluminum.
(H) M-874 Ceiling light. Diam., 5"; height, 7½". Fits 3¼" & 4" boxes.
(I) M-875 Wall bracket. Diameter, 4½"; height, 6½"; extends 4½".
- J M-826** Matches M-825 (above) and M-824 (page 38). Charm of Paul Revere's days with its solid brass American eagle! 10½" high, 8½" square, extends 9¼". Recommended: up to 75-watt. Finish: Black on Solid Aluminum.
- K M-898** Matches M-843 (page 38). Impressively full-proportioned authentic coach-light wall bracket. Crystal clear beveled glass panels. 18" high, 8½" square, extends 9¼". Recommended: up to 75-watt or clear flame lamp. Finish: Black on Solid Aluminum, with Polished Solid Brass.
- L M-868** Exceptionally fine value for the budget-minded. Clear simulated beveled glass panels. 5½" square, 16½" high, extends 6½". Recommended: up to one 75-watt. Finish: Black on Solid Aluminum with Solid Brass ornament.
- M M-894** Black "mini-mesh" screen accentuates the novel texture of fiber glass shade. Width, 7½"; height, 8½"; extends 4½". Recommended: up to 75-watt. Finish: Polished Solid Brass.
- N M-888** Decidedly in the modern mode with its clean, crisp contour. Frosted glass shade with sharp, clear accent lines. Width, 7"; height, 7½"; extends 5". Recommended: one 75-watt. Finishes: Polished Solid Brass; or Polished Solid Copper.
- O M-877** Ceiling lantern in a modern mood. ANODIZED* brass trim rods; frosted glass panels. Depth, 3¾"; 8" square. Recommended: one 60-watt. Finishes: Black; ANODIZED* Polished Brass; or ANODIZED* Polished Copper, all on Solid Aluminum.
- P, Q M-879** Larger than M-877. 3¾" deep. 9¼" square. Recommended: two 60-watt. Finishes: Black; ANODIZED* Polished Brass; or ANODIZED* Polished Copper, all on Solid Aluminum.
- R M-880** Matches M-880 (above). Handsome ringed glass invites the use of a tinted bulb. 7" high, 4½" diameter, extends 6". Recommended: up to one 75-watt. Finishes: Polished Solid Brass; or Antique Solid Copper.
- S M-881** Same as M-880 (above) but finish is Black on Solid Aluminum.
- T M-883** This "ship's lantern" style is increasingly popular for illuminating address plates and garage, basement and house entries. 7" high, 4½" wide, extends 6". Recommended: up to one 75-watt. Finishes: Black on Solid Aluminum; Polished Solid Brass; and Antique Solid Copper.
- U, V M-872** Jovial hospitality in every "rely-poly" line! White frosted glass. Width, 5"; height, 8½"; extends 6¼". Recommended: up to one 75-watt. Finishes: Black on Solid Aluminum with Brass trim; and Polished Solid Brass.


* "Now Moe Light is first to offer permanent ANODIZED ALUMINUM FINISHED. Prevents pitting and corroding, for long life and lasting beauty."




O



P



Q



R



S



T



V



U



MODERN LIGHTING ENCOURAGES OLD-FASHIONED FRIENDLINESS

Open-hearted, hospitality flourishes at high light level. A well lit entry says "Welcome!" — accents of light on draperies and fireplace bid your guest, "enjoy our home with us" — conversation groupings bathed in light urge friends to sit and visit. Indeed, good lighting is the essence of cordiality!



BEAUTY BATHED IN LIGHT

Every point of interest in this regal setting owes much of its beauty to the wisely placed recessed fixtures built into the ceiling and painted to match. Invites you to relax on the appealingly curved sectional or in the restful chair and enjoy the appointments so beautifully lighted.



THE HEART OF MODERN STYLING . . . LIGHT
Only light reveals the care that went into planning this stunning modern bathroom. Its handsome built-in ceiling units are not only extremely efficient and decorative but, also, they glorify the appointments that they serve.



BY MOE LIGHT

Built-in recessed fixtures

Recessed fixtures are among the newest, smartest types of light source. They are virtually unlimited in their versatility. You can use them indoors or out — in ceilings, interior or exterior walls or under the eaves. Small or large, square, rectangular or “eyeball”, they may be used for any of the five types of lighting embodied in *Certified Inspiration-Lighting*.

One of their most greatly appreciated advantages is the fact that, being concealed, they may be used in almost unlimited number in any one room to give an extraordinarily high level of lighting when desired. A dozen recessed fixtures, for example, might be used in the ceiling of a large living room where no one would consider hanging eight or ten chandeliers to produce an equal amount of light. Usually, in such installations, the lights are controlled by two or more switches, so as to graduate the light level to suit the occasion.

LIGHTING TO SUIT THE OCCASION

For dining en famille, the pull-down provides intimate lighting . . . for entertaining, it glides along ceiling-track to center over pulled out table. Recessed spots on separate switch focus their light directly on dining surface. In the background, pendants three-in-line dramatize the planter . . . a cluster brightens the cozy corner.



HINTS ON CERTIFIED INSPIRATION-LIGHTING


In kitchen or bathroom, round, square or rectangular recessed fixtures effectively provide good general lighting. Tastefully spaced throughout an entire ceiling, any number may be used in a large living, dining, family or recreation room to give any desired level of almost shadowless lighting without glare. Under the eaves, they glorify the texture of your exterior walls and let your flowerboxes show to best advantage by night as well as by day.

Aisle lights in hall or bedroom baseboards, in stair risers (particularly in split-level homes), in patio or garden walls, are important safety features as well as bits of unusual beauty.


Recessed “eyeball” fixtures are ideal sources of localized light at pianos, hi-fi sets and other furniture pieces or groupings; of accent lighting to emphasize planters, paintings, statues, mobiles or other decorative elements inside your home — and to direct attention to details or other exterior features.



100-watt Square Housing M-6606




100 — 150-watt Square Housing M-6608




Housings, trim and glass for Moe Light recessed fixtures are packed separately. The trims and the glass shown to the right are for housings above. See details in how to order on opposite page (45).


Trims for M-6606 and M-6608




Glass for M-6606 and M-6608



300-watt Square Housing M-5613




Trim and glass below fit M-5613 housing. See details on how to order on opposite page (45).




Rectangular Housing

60-watt



M-5614

100-watt




M-5616

Trims for M-5614 and M-5616

Glass for M-5614 and M-5616



Trims and glass shown here are for M-5614 and M-5616. Order with housings as shown on opposite page (45).



M-5600 Bar Hanger for use with pre-wired recessed housings. M-6606; M-6608; M-5614; M-5616; M-5675; M-5680; M-5690; M-5694; M-5697; M-5698. Metal prong holds bar hangers in place until permanent fastening can be made.



recessed fixtures...

for Dramatic and Functional Built-In-Lighting

HOW TO ORDER

A recessed fixture consists of three parts: (1) the housing, (2) the trim, and (3) the glass. Your order should specify, by number, **ALL THREE** of these parts. **IN ADDITION**, when ordering trim, you should specify **FINISH** desired. For example, if you should want a 100-watt square recessed lighting fixture with satin brass finish and bent white glass, your order should read:

M-6606 housing

M-606 trim — SATIN BRASS finish*

M-16 glass

* Please be SURE to specify finish when ordering trim, because the number by itself does not tell us what finish you want.

100-WATT SQUARE FIXTURES

M-6606 HOUSING ONLY. Pre-wired recessed fixture equipped with new full "POL-SPEC" aluminum reflector. Housing size: $8\frac{1}{8}" \times 8\frac{1}{8}" \times 4\frac{1}{4}"$ deep. Outlet box extends 4" from housing. Finish opening, $8\frac{3}{8}"$ square. Accommodates 100-watt lamp.

M-606 Trim only for **M-6606**. $9\frac{1}{4}" \times 9\frac{1}{4}"$ O.D.

Trim finish: Baked White, Chromium, Satin Brass or Aluminum.

Glass only for M-6606

M-6 Flat Alba-Lite (for completely flat ceiling surface)

M-16 Bent White (for decorative applications)

M-26 Fresnel lens (for medium angle light range)

M-46 Drop Opal (for maximum angle light range and minimum ceiling contrast)

100-150-WATT SQUARE FIXTURES

M-6608 HOUSING ONLY. Pre-wired recessed fixtures with new full "POL-SPEC" aluminum reflector. Housing size: $10\frac{1}{8}" \times 10\frac{1}{8}" \times 4\frac{1}{4}"$ deep. Outlet box extends 4" from housing. Finish opening, $10\frac{3}{8}"$ square. Accommodates 150-watt lamp.

M-608 Trim only for **M-6608**. $11\frac{1}{4}" \times 11\frac{1}{4}"$ O.D.

Trim finish: Baked White, Chromium, Brushed Brass, Aluminum or Copper.

Glass only for M-6608

M-8 Flat Alba-Lite (for completely flat ceiling surface)

M-18 Bent White (for decorative applications)

M-28 Fresnel lens (for medium angle light range)

M-48 Drop Opal (for maximum angle light range and minimum ceiling contrast)

300-WATT SQUARE FIXTURES

M-5613 HOUSING ONLY. Pre-wired recessed fixture equipped with full "ALZAC" aluminum reflector. Housing size, $12\frac{3}{8}" \times 12\frac{3}{8}" \times 7\frac{1}{2}"$ deep. Outlet box extends $6\frac{1}{2}"$ from housing. Finish opening, $12\frac{7}{8}"$ square. Accommodates 300-watt lamp.

M-613 Trim only for **M-5613**. $14\frac{3}{8}" \times 14\frac{3}{8}"$ O.D.

Trim finish: Baked White, Chromium, Satin Brass or Aluminum.

Glass only for M-5613

M-3 Flat Alba-Lite (for completely flat ceiling surface)

M-13 Bent White (for decorative applications)

M-23 Fresnel lens (for medium angle light range)

M-43 Drop Opal (for maximum angle light range and minimum ceiling contrast)

60-WATT RECTANGULAR FIXTURES

M-5614 HOUSING ONLY. Pre-wired recessed fixture equipped with "POL-SPEC" aluminum reflector. Housing size, $9\frac{1}{8}" \times 6\frac{1}{8}" \times 4\frac{1}{4}"$ deep. Outlet box extends 4" from housing. Finish opening, $9\frac{3}{8}" \times 6\frac{3}{8}"$ O.D. Accommodates 60-watt lamp.

M-614 Trim only for **M-5614**. $10\frac{1}{4}" \times 7\frac{1}{4}"$ O.D.

Trim finish: Baked White, Chromium, Satin Brass or Aluminum.

Glass only for M-5614

M-4 Flat Alba-Lite

100-WATT RECTANGULAR FIXTURES

M-5616 HOUSING ONLY. Pre-wired recessed fixture equipped with "POL-SPEC" aluminum reflector. Housing size: $12\frac{1}{8}" \times 8\frac{1}{8}" \times 4\frac{1}{4}"$ deep. Outlet box extends 4" from housing. Finish opening: $12\frac{3}{8}" \times 8\frac{3}{8}"$. Accommodates 100-watt lamp.


M-616 Trim only for **M-5616**. $13\frac{1}{4}" \times 9\frac{1}{4}"$ O.D.

Trim finish: Baked White, Chromium, Satin Brass or Aluminum.

Glass only for M-5616



M-7 Flat Alba-Lite (for completely flat ceiling surface)

M-17 Bent White (for decorative applications)




JUMBO SIZE OUTLET BOX*

1. Extra large size provides extra work space for splicing and pulling wires.
2. Pulls in and out easily for installation in all types of ceilings... new dry wall construction or in old existing ceilings.
3. Sturdy 18 gauge construction prevents bending, twisting or sagging during installation of conduit.
4. Larger opening makes inspection easy after installation.





NEW KING SIZE REFLECTOR

Highly polished full wrap-around reflector completely covers all interior surfaces of square boxes. New design almost doubles effective reflective surfaces for highly efficient control and uniform distribution of light.



EXCLUSIVE MOE LIGHT FRAME LOCK-UP


Improved spring action holds securely, can't sag. Easier to relamp or clean than ordinary type. Disengages easily and holds trim in place out of way or can be entirely removed. Locks tightly.



SPECIALLY DESIGNED FOR EASY INSTALLATION ANYWHERE

FOR OLD CONSTRUCTION. No replastering necessary! Simply cut hole in ceiling slightly larger than housing. Position housing and secure with mounting flanges. Pass house-wire through large outlet-box opening in side of housing, connect up outlet box, then push outlet box into place. Place reflector and trim in position and you're finished!

FOR NEW CONSTRUCTION. Use MoE Light Bar-Hanger M-5600 for easiest installation. Adjustable mounting brackets also included with each fixture for simple 4-step installation, using only screwdriver and pliers.




An outstanding example of Impression lighting is shown in this living room setting. The full beauty of the drapes is dramatized by the excellent application of recessed lights spaced to highlight their full length. Note also the generous amount of overall light in the room for the Comfort and Convenience of every-day living.



built-in recessed fixtures

... a Style, Size and Type for Every Purpose


- A M-5618** INCANDESCENT Pre-wired, two-light 100-watt incandescent. Flat Alba-Lite glass. Housing size, $24\frac{1}{4}" \times 6\frac{3}{4}"$; depth, $6\frac{1}{4}"$. Outlet box extends $6\frac{1}{2}"$ from housing. Overall trim size, $25\frac{3}{8}" \times 7\frac{7}{8}"$ O.D. Finish opening, $24\frac{1}{2}" \times 7"$. Housing, trim, glass in one carton. Trim finish: Chromium.
- B M-5619** Same as M-5618 except with White Bent Glass.
- C M-5620** FLUORESCENT Two-light 20-watt fluorescent. Trigger-start. L.P.F. 60-cycle AC only. Flat Alba-Lite glass. Housing size, $24\frac{1}{4}" \times 6\frac{3}{4}"$; depth, $4\frac{1}{4}"$. Overall trim size, $25\frac{3}{8}" \times 7\frac{7}{8}"$ O.D. Finish opening, $24\frac{1}{2}" \times 7"$. Housing, trim, glass in one carton. Trim finish: Chromium.
- D M-5650** Same as M-5620 except with White Bent Glass.
- E M-5675** SHOWER LIGHT Pre-wired, one-light 60-watt incandescent. Drop Opal glass. Housing size, $7\frac{1}{8}" \times 8\frac{1}{8}"$; depth, $5\frac{3}{4}"$. Overall trim size, $7\frac{3}{4}"$ diameter. Outlet box extends 4" from housing. Watertight gasket for shower installation. Finish opening size, $6\frac{1}{2}"$ diameter. Housing, trim, glass packaged in one carton. Trim finish: Polished Aluminum.
- F M-5695** HOUSING ONLY Pre-wired downlight housing. Uses 150-watt R-40 reflector lamp. Size, $9\frac{1}{8}" \times 9\frac{1}{8}"$; depth, $7\frac{3}{4}"$. Outlet box extends $6\frac{1}{2}"$. Finish opening size, $8\frac{1}{4}"$ diameter.
- G M-95** TRIM ONLY for M-5695. Black louver. Overall trim size, $8\frac{3}{4}"$ diameter. Trim finish: Chromium, Satin Brass, Baked White or Aluminum.
- H M-5696** HOUSING ONLY Pre-wired baffled aperture downlight for low brightness, high efficiency. With 40 degrees shielding. Uses 150-watt R-40 reflector lamp. Size $9\frac{1}{8}" \times 9\frac{1}{8}"$; depth, $9\frac{1}{2}"$. Outlet box extends 4". Finish opening, $8\frac{1}{4}"$ diameter.
- I M-96** TRIM ONLY for use with M-5696 housing. 9" diameter. Trim finish: Chromium, Satin Brass, Baked White or Aluminum.
- J M-5679** AISLE OR SAFETY LIGHT Single 25-watt incandescent light for indoors or outdoors. Aluminum face; clear glass behind louvers. With integral switch and convenience outlet. Housing size, $7\frac{7}{8}" \times 4\frac{7}{8}"$; depth, $3\frac{5}{8}"$. Overall trim size, $8\frac{5}{8}" \times 5\frac{5}{8}"$. Housing, trim, glass in one carton. Trim finish: Aluminum.
- K M-5655** Aluminum construction with bottom glass and water-tight gasket. For 60-watt lamp. Plaster ring included. Box diameter, $5\frac{1}{2}"$; depth, $6\frac{5}{8}"$. Trim diameter, $7\frac{1}{2}"$ O.D. Finish: Chromium.
- L** "High hat" built-in fixture; designed for 75-watt R-30 lamp. Aluminum construction. Box diameter, $4\frac{1}{2}"$. Diameter of ceiling flange, $5\frac{5}{8}"$. Wired with $4\frac{1}{2}$ feet AF asbestos wire leads. Outlet box with cable clamp. Plaster ring. Finish: Polished Aluminum ceiling flange.
- M-5661** Without louver. Overall depth, $5\frac{3}{8}"$.
- M-5662** With Black die-cast louver. Overall depth, 7".
- M** Larger "high hat" built-in; designed for 150-watt R-40 lamp. Aluminum construction. Box diameter, $5\frac{1}{2}"$. Diameter of ceiling flange, 7". Wired with $4\frac{1}{2}$ feet AF asbestos wire leads. Outlet box with cable clamp. Plaster ring. Finish: Polished Aluminum ceiling flange.
- M-5671** Without louver. Overall depth, $6\frac{5}{8}"$.
- M-5672** With Black die-cast louver. Overall depth, $8\frac{1}{4}"$.
- N M-5680** HOUSING ONLY Pre-wired downlight housing. Adjustable socket assembly permits efficient use of 75-watt R-30 or 150-watt R-40 reflector lamps. Housing size, $8\frac{1}{8}" \times 8\frac{1}{8}"$; depth, $5\frac{3}{4}"$. Outlet box extends $6\frac{1}{2}"$ from housing. Opening size 6" diameter.
- O, P** TRIM ONLY for use with M-5680 housing. Trim finish: Chromium, Satin Brass, Baked White or Aluminum.
- M-84** Uses 75-watt R-30 reflector lamp. Overall trim diameter, $6\frac{7}{8}"$.
- M-85** Uses 150-watt R-40 reflector lamp. Overall trim diameter, $7\frac{1}{2}"$.
- Q M-5690** HOUSING ONLY Pre-wired downlight housing for small aperture pin-point spots. Uses 75-watt R-30 reflector lamp. Housing size, $8\frac{1}{8}" \times 8\frac{1}{8}"$; depth, $7\frac{3}{4}"$. Outlet box extends $6\frac{1}{2}"$. Finish opening size, 6" diameter.
- R, S, T** TRIM ONLY for use with M-5690 housing. Trim finish: Chromium, Satin Brass, Baked White or Aluminum.
- M-91** $1\frac{1}{2}"$ aperture. Overall trim size, $6\frac{1}{2}"$ diameter.
- M-92** 2" aperture. Overall trim size, $6\frac{1}{2}"$ diameter.
- M-93** 3" aperture. Overall trim size, $6\frac{1}{2}"$ diameter.
- U M-5694** HOUSING ONLY Pre-wired downlight housing. Uses 75-watt R-30 reflector lamp. Housing size, $8\frac{1}{8}" \times 8\frac{1}{8}"$; depth, $7\frac{3}{4}"$. Outlet box extends $6\frac{1}{2}"$ from housing. Opening size, 6" diameter.
- V M-94** Trim for M-5694. Black louver. Overall trim size, $6\frac{1}{2}"$ diameter. Trim finish: Chromium, Satin Brass, Baked White or Aluminum.
- "EYEBALL UNITS" Pre-wired. Adjustable 36° from vertical with 358° rotation. Black louver. Outlet boxes extend 4". Housing and trim in one carton.
- W M-5697** Housing: $8\frac{1}{8}"$ square, $5\frac{3}{4}"$ deep. Trim, $9\frac{1}{4}"$ diameter. Finish opening, $8\frac{3}{8}"$ diameter. Uses 30-watt R-20 spot or flood. Finish: Satin Brass or Satin Aluminum.
- X M-5698** Housing: $8\frac{1}{8}"$ square, $5\frac{3}{4}"$ deep. Trim, $9\frac{1}{4}"$ diameter. Finish opening, $8\frac{3}{8}"$ diameter. 75-watt R-30 spot or flood. Finish: Satin Brass or Satin Aluminum.




N




O




P




Q




R



U




S



T









































V



W



X





BY MOE LIGHT

*Certified
Inspiration-Lighting —*

HOW TO ACHIEVE IT IN YOUR HOME

Certified Inspiration-Lighting is an exclusive development by the Moe Light Division of Thomas Industries. It is the home-planner's opportunity to introduce, in her every room, the glamor and drama achieved "on stage" by theatrical lighting experts of New York and Hollywood. Its five basic principles are defined on the inside front cover of this catalog — and the accompanying chart suggests fixtures for the various rooms in your home.

So, give your imagination full rein! Make sure that the basic requirements for each room are met, to achieve the full glory of dramatic *Certified Inspiration-Lighting* by selecting fixtures that your own good taste dictates. Remember: properly chosen, there's an effective place for *any* fixture in *any* room — and you'll be delighted with the highly individual, dramatic overall lighting effects you can create!

DINING OR BREAKFAST AREA

Pages 1 to 27, 32-33
and 42 to 47

Suggested C-I-L Fixtures:
Choose from B, C, G, H, I,
J, K with F, M, N, O, P
with F, T.

LIVING ROOM

Pages 1 to 11, 16 to 23,
32-33 and 42 to 47

Suggested C-I-L Fixtures:
Choose from A, B, C, D, G,
H, I, J, K, L, M, N, O, P
with F, T.

KITCHEN

Pages 1 to 5, 8-11, 18-19,
28 to 33 and 42 to 47

Suggested C-I-L Fixtures: Choose
from A, B, C, D, E, G, H, J, K, L,
M, N, O, P with F, U, T.

VESTIBULE or FOYER

Pages 8-13, 16-23, 28 to 35
and 40 to 47

Suggested C-I-L Fixtures:
Choose from A, B, C, G, H, J,
K, L, M, T.

PORCH

Pages 8-9, 18 to 23,
28 to 33 and 36 to 47

Suggested C-I-L Fixtures:
Choose from A, B, C, G, H,
I, J, K, M, N, O, P, R.

OUTDOOR LIGHTING

Pages 38 to 41

Suggested C-I-L Fixtures:
Choose from A, B, C, K, L,
Q, R, S, T.

EASY GUIDE TO FIXTURE SELECTION

● For each room in this "floor plan" fixture page numbers are given to create glorious *Certified Inspiration-Lighting* effects. Choose type of fixtures from the list indicated by key letters for each room. MANY EXAMPLES OF THE USES OF VARIOUS FIXTURES ARE PICTURED IN ROOM-SCENES THROUGHOUT THIS CATALOG.

Apply the "C-I-L" principles explained on inside front cover — and your home will be the envy of all who behold it!

UTILITY ROOM

Pages 8-9, 18-19,
20 to 35 and
42 to 47

Suggested C-I-L
Fixtures: Choose from
A, B, C, D, J, K, L,
M, U, T.

RECREATION or FAMILY ROOM

Pages 1 to 11, 16 to 35, 42 to 47

Suggested C-I-L Fixtures: Choose from A, B,
C, D, G, H, I, J, K, L, M, N, O, P, T.

BATHROOM

Pages 8-9,
20 to 23,
28 to 35 and
42 to 47

Suggested
C-I-L Fixtures:
Choose from A,
B, C, D, E, H, J,
K, L, M, U, T.

BEDROOM

Pages 1 to 11,
16 to 29, 32-33 and
42 to 47

Suggested C-I-L
Fixtures: Choose from
A, B, C, G, H, I, J,
M, N, L, T.

HALL

Pages 8 to 13, 16 to 23 and 40 to 47

Suggested C-I-L Fixtures: Choose from A, C, D, E, G, J,
K, L, M, T.

KEY to suggested types of lighting

- | | |
|---|---|
| A Recessed — square, rectangular (incandescent or fluorescent) | L Wall brackets |
| B Recessed — pin-hole and eyeball | M "Bullet" accent lights |
| C Recessed — round, louvered or glass | N Valance lighting — (faceboard shielded up and down lighting) |
| D Modular — recessed or surface | O Cove lighting — (indirect ceiling lighting) |
| E Luminous ceiling | P Cornice lighting — (faceboard shielded lighting direct downward) |
| F Dimmer — (to control valance, pin-hole, etc.) | Q Post lantern |
| G Hanging fixture — cord, chain, stem or cluster | R Outdoor lanterns |
| H Pendant — single or in line | S Garden or patio lighting |
| I Pull-down | T Safety light |
| J Ceiling cone | U Special Types Under-cabinet: vapor-proof, recessed; bathroom cabinet (lighted), flood light (bullet type) |
| K Close-to-ceiling — round or square ... glass, plastic wood, metal | |



M-1141 Page 23



M-1166 Page 22



M-1167 Page 22



M-1173 Page 29



M-1175 Page 22



M-1183 Page 22



M-1186 Page 28



M-1189 Page 22



M-1202 Page 33
M-1212
M-1232



M-1211 Page 33
M-1231



M-1242 Page 33



M-1243 Page 33



M-1251 Pages 12 & 23



M-1255 Page 12




M-1260 Page 23



M-1261 Page 19




M-1265 Page 12




M-1275 Page 14



M-1331 Pages 14 & 22



M-1335 Page 14




M-1343 Page 19



M-1347 Page 19




M-1353 Page 18



M-1357 Page 18




M-1363 Page 18



M-1367 Page 18



M-1400 Page 16 & 18
M-1402 Pages 17 & 18




410 Page 8




M-1417 Page 9 & 17



M-1421 Pages 17 & 19




M-1423 Pages 17 & 19




M-1424 Pages 17 & 18



M-1425 Pages 17 & 28



M-1427 Pages 8 & 17




M-1446 Page 9



M-1447 Page 8



M-1460 Page 4



M-1429 Pages 3 & 17



M-1446 Page 9



M-1467 Page 8




M-1471 Pages 17 & 28



M-1475 Pages 17 & 28



M-1476 Pages 9 & 17



M-1484 Page 11




M-1487 Page 10



M-1488 Page 10



M-1490 Page 4




M-1499 Pages 2 & 10



M-1491 Page 4



M-1499 Pages 2 & 10



M-1499 Pages 2 & 10




M-1482 Page 5



M-1483 Page 11



M-1484 Page 11



M-1487 Page 10



M-1488 Page 10




M-1490 Page 4



M-1491 Page 4




M-1499 Pages 2 & 10



M-1499 Pages 2 & 10



M-1499 Pages 2 & 10




M-1499 Pages 2 & 10



M-1499 Pages 2 & 10



M-1499 Pages 2 & 10



M-1499 Pages 2 & 10



M-1482 Page 5



M-1483 Page 11



M-1484 Page 11



M-1487 Page 10



M-1488 Page 10




M-1490 Page 4



M-1491 Page 4



M-1499 Pages 2 & 10



M-1499 Pages 2 & 10



M-1499 Pages 2 & 10




M-1499 Pages 2 & 10



M-1499 Pages 2 & 10



M-1499 Pages 2 & 10




M-1499 Pages 2 & 10

M-1517 Page 9



M-1526 Page 2



M-1527 Page 8



M-1528 Page 2



M-1530 Page 10



M-1539 Page 10



M-1551 Page 23

M-1553 Pages 12 & 23



M-1555 Page 12



M-1560 Page 12



M-1561 Page 22



M-1566 Page 29



M-1572 Page 9 & 16




M-1575 Page 16 & 28



M-1577 Page 8 & 16


M-1579 Page 2 & 16



M-1588 Page 13




M-1853 Page 38



M-2402 Page 32




M-4002 Page 27



M-4015 Page 26



M-4017 Page 24




M-4018 Page 25



M-4020 Page 24




M-4023 Page 25




M-4026 Page 25

M-4027 Page 25



M-4029 Page 24




M-4045 Page 24



M-4050 Page 29



M-4061 Page 28




M-4062 Page 28



M-4066 Page 29




M-4072 Page 30



M-4078 Page 29




M-4100 Page 32




M-4115 Page 32




M-4120 Page 32



M-4130 Page 32




M-4142 Page 32



M-4180 Page 32



M-4240 Page 32



M-4802 Page 32



M-4900 Page 39



M-6360 Page 6




RECESSED LIGHTING AND BATHROOM CABINETS

PRE-WIRED RECESSED FIXTURES

(Please see Page 45 for Complete Ordering Information)



RECESSED RECTANGULAR FIXTURES



RECESSED "HIGH HAT" FIXTURES



PRE-WIRED RECESSED SHOWER LIGHT




RECESSED AISLE LIGHT



PRE-WIRED RECESSED "EYEBALL" UNITS



BATHROOM CABINETS





**Products of
THOMAS
INDUSTRIES INC.**

Moe Light, Star Light
and Enchante
lighting fixtures

Benjamin commercial
and industrial lighting
equipment

Moe Light bathroom
cabinets

Radiant opal glass

Wright power saws

Sprayit paint
spraying equipment

Ideal bathroom
cabinets



THOMAS INDUSTRIES INC.

MOE LIGHT DIVISION

"Originators of Inspiration Lighting"

EXECUTIVE OFFICE: 410 S. Third Street, Louisville 2, Ky.

FACTORIES AT: Fort Atkinson and Sheboygan, Wis.; Hopkinsville, Ky.;
Los Angeles and Burlingame, Cal.;
Desplaines, Ill.; Fort Smith, Ark.

CATALOG M-164
Prices Effective January 15, 1959



































Prices are subject to change without notice. Merchandise returned without our consent will not be accepted. CLAIMS for damage or loss in transit must be made DIRECTLY to the carrier.

Note: Fluorescent Lamps not furnished with fixtures except where specified. Prices marked with an asterisk * indicate fixtures shipped complete with lamps. Letters LPF indicate LOW POWER FACTOR, letters HPF indicate HIGH POWER FACTOR.



















































ZONE A


















































**DEALER'S
PRICE LIST
AND
BUYING GUIDE**



































Fixture	Fixture No.	Cat. Page No.	Description (Abbreviated Descriptions Are Used See M-164 Catalog For Complete Information)	No. of Lights and Wattage	Std. Pack	Ship Wt. Ea. (lbs.)	Retail Price List	Dealer's Cost	
								Less Than 6	6 or more Assorted
	M-31	31	Ivory	1	24	1/2	\$ 1.65	\$ 1.10	\$.99
	M-115	34	Chromium, w/switch & CO	2-60	6	3	6.45	4.30	3.87
	M-116	34	Chromium & White, w/switch & CO	2-60	6	3 1/2	9.95	6.64	5.97
	M-131	34	Chromium, w/switch & CO	1-75	6	1 1/4	4.95	3.30	2.97
	M-214	24	Brass	4-40	4	5	10.95	7.30	6.57
	M-216	24	Brass	4-60	4	6	12.95	8.64	7.77
	M-222	27	Brass	2-60	4	2 3/4	6.95	4.64	4.17
	M-224	27	Brass	2-60	4	4 1/4	7.95	5.30	4.77
	M-226	27	Brass	4-60	4	7	9.95	6.64	5.97
	M-232	26	Brass	2-60	4	4	7.95	5.30	4.77
	M-233	26	Brass	2-60	4	3 1/4	4.95	3.30	2.97
	M-260	26	Rose	2-60	4	2 1/2	3.95	2.64	2.37
	M-260	26	Turquoise	2-60	4	2 1/2	3.95	2.64	2.37
	M-260	26	White	2-60	4	2 1/2	3.95	2.64	2.37
	M-263	26	Brass	3-60	4	3 1/2	8.95	5.97	5.37
	M-265	26	Brass	4-60	4	5 1/2	9.95	6.64	5.97
	M-311	34	Chromium & White, w/switch & CO	4-40	4	6 1/4	13.95	9.30	8.37
	M-312	34	Chromium & White, LPF, w/switch & CO	1-20	4	6 3/4	15.95	10.64	9.57
	M-314	34	Chromium & White, LPF, w/switch & CO	1-40	1	13 1/2	24.95	16.64	14.97
	M-317	34	Chromium, LPF, Trigger Start, w/switch & CO	2-14	1	11 1/2	29.95*	19.98*	17.97*
	M-319	34	Chromium, LPF, w/switch & CO	1-15	6	2 3/4	12.95	8.64	7.77
	M-336	34	Chromium Reflector (Fits M-339,359)	..	12†	3/4	2.95	1.97	1.77
	M-337	34	White Glass Shield (Fits M-339, 359)	..	6 †	1 1/4	2.95	1.97	1.77
	M-339	34	Chromium, LPF, w/switch & CO	1-15	6	2 1/2	7.45	4.97	4.47
	M-352	30	White, w/switch & CO	2-60	4	2 1/4	5.95	3.97	3.57
	M-354	30	White, LPF, w/switch & CO	1-20	1	9	14.95	9.97	8.97
	M-359	34	Chromium, LPF, Trigger Start, w/switch & CO	1-15	6	2 1/2	10.95	7.30	6.57
	M-402	30	Aluminum	2-100	1	8	21.95	14.64	13.17
	M-406	31	Chromium	1-60	4	2	5.45	3.63	3.27
	M-408	31	Chromium	2-60	4	3	6.45	4.30	3.87
	M-410	31	Chromium	2-75	4	4	8.45	5.64	5.07
	M-412	31	Chromium	3-60	4	5 1/4	10.95	7.30	6.57
	M-414	31	Chromium	3-75	1	7 1/4	14.45	9.64	8.67
	M-416	31	Chromium	3-100	1	8	19.95	13.31	11.97


























† No Broken Packages Will Be Shipped


















Fixture	Fixture No.	Cat. Page No.	Description (Abbreviated Descriptions Are Used See M-164 Catalog For Complete Information)	No. of Lights and Wattage	Std. Pack	Ship Wt. Ea. (lbs.)	Retail Price List	Dealer's Cost	
								Less Than 6	6 or more Assorted
 M-426	M-426	31	Chromium	1-60	4	2	\$ 3.95	\$ 2.64	\$ 2.37
	M-428	31	Chromium	2-60	4	3½	5.45	3.64	3.27
 M-430	M-430	31	Chromium	2-75	4	4½	6.45	4.30	3.87
 M-458	M-458	31	Chromium	3-60	4	6½	10.95	7.30	6.57
 M-460	M-460	30	Chromium	1-60	4	2	6.95	4.64	4.17
 M-478	M-478	30	Chromium	2-60	4	3¾	8.95	5.97	5.37
 M-480	M-480	31	Copper	2-60	4	3	9.95	6.64	5.97
 M-630	M-630	31	Copper	2-75	4	4	11.95	7.97	7.17
 M-653	M-653	30	Chromium	1-150	1	5	9.95	6.64	5.97
 M-654	M-654	30	Chromium	1-100	12	2½	3.95	2.64	2.37
 M-700	M-700	30	Chromium	1-150	6	4¼	4.95	3.30	2.37
 M-702	M-702	34	Chromium, w/switch & CO	1-75	6	2	2.95	1.97	1.77
 M-703	M-703	34	Chromium, w/CO	1-75	6	2	2.75	1.83	1.65
 M-716	M-716	34	Chromium, w/switch & CO	1-75	6	2½	4.95	3.30	2.97
 M-728	M-728	28	Brass	1-60	4	2¼	6.95	4.64	4.17
 M-730	M-730	28	Brass	1-60	4	2½	8.95	5.97	5.37
 M-738	M-738	28	Brass	2-60	4	3¾	10.95	7.30	6.57
 M-740	M-740	28	Brass	1-60	4	2½	6.95	4.64	4.17
 M-744	M-744	28	Brass	1-60	4	2½	6.95	4.64	4.17
 M-747	M-747	22	Brass	2-60	4	3½	8.95	5.97	5.37
 M-749	M-749	35	Chromium & White, w/switch & CO	1-100	4	4	6.95	4.64	4.17
 M-766	M-766	34	Chromium, w/switch & CO	2-60	4	6	9.95	6.64	5.97
 M-767	M-767	34	Chromium, w/switch & CO	4-25 to 4-60	4	6	9.95	6.64	5.97
 M-768	M-768	34	Chromium, w/switch & CO	2-40	4	3½	12.95	8.64	7.77
 M-803	M-803	34	Chromium, w/switch & CO	1-60	4	2	7.95	5.30	4.77
 M-807	M-807	35	Chromium & White, w/switch & CO	6-60	1	7½	17.95	11.97	10.77
 M-815	M-815	18, 39	Aluminum	1-100 or 1-75wR30	4	1½	6.95	4.64	4.17
 M-823	M-823	18, 39	Black	1-100 or 1-75wR30	4	1½	5.95	3.97	3.57
 M-824	M-824	39	Aluminum	2-100 or 2-75wR30	4	2¾	11.95	7.97	7.17
 M-825	M-825	39	Black	2-100 or 2-75wR30	4	2¾	9.95	6.64	5.97
 M-826	M-826	22	Brass	1-60	6	1¾	2.50	1.67	1.50
 M-839	M-839	38	Black	1-100	4	4½	12.95	8.64	7.77
 M-840	M-840	38	Weathered Brass	1-100	4	4½	19.95	13.31	11.97
 M-841	M-841	38	Black	1-75	4	3½	8.95	5.97	5.37
 M-843	M-843	40	Black	1-75	4	3½	9.95	6.64	5.97
 M-844	M-844	40	Black	1-75	4	3½	9.95	6.64	5.97
 M-845	M-845	10	Antique Copper	1-100	1	6	24.95	16.64	14.97
 M-853	M-853	10	Antique Copper	1-100	1	7	29.95	19.98	17.97
 M-855	M-855	22	Brass	1-60	6	3	9.95	6.64	5.97
 M-858	M-858	38	Black & Brass	1-100	1	7¾	29.95	19.98	17.97
 M-865	M-865	38	Black	1-100	1	7	17.95	11.97	10.77
 M-868	M-868	38	Black	1-100	1	7¼	18.95	12.64	11.37
 M-872	M-872	38	Black	1-150	1	9½	21.95	14.64	13.17
 M-874	M-874	40	Black	1-75	6	2	4.95	3.30	2.97
 M-875	M-875	40	Brass	1-75	6	2	6.95	4.64	4.17
 M-877	M-877	40	Copper	1-75	6	2	6.95	4.64	4.17
 M-879	M-879	40	Black	1-75	4	3¾	9.95	6.64	5.97
 M-881	M-881	41	Black	1-75	6	2	6.95	4.64	4.17
 M-883	M-883	41	Brass	1-75	6	2	7.95	5.30	4.77
 M-885	M-885	40	Aluminum	1-75	6	2¾	5.45	3.64	3.27
 M-887	M-887	40	Aluminum	1-75	6	3	7.95	5.30	4.77


















Fixture	Fixture No.	Cat. Page No.	Description (Abbreviated Descriptions Are Used See M-164 Catalog For Complete Information)	No. of Lights and Wattage	Std. Pack	Ship Wt. Ea. (lbs.)	Retail Price List	Dealer's Cost	
								Less Than 6	6 or more Assorted
 M-877	M-877	41	Black	1-60	4	2¼	\$ 6.95	\$ 4.64	\$ 4.17
 M-879	M-877	41	Brass	1-60	4	2¼	7.95	5.30	4.77
 M-880	M-877	41	Copper	1-60	4	2¼	7.95	5.30	4.77
 M-881	M-879	41	Black	2-60	4	2½	8.45	5.64	5.07
 M-882	M-879	41	Brass	2-60	4	2½	9.95	6.64	5.97
 M-883	M-879	41	Copper	2-60	4	2½	9.95	6.64	5.97
 M-885	M-880	41	Brass	1-75	6	1¾	3.45	2.30	2.07
 M-888	M-880	41	Copper	1-75	6	1¾	3.45	2.30	2.07
 M-894	M-881	41	Black	1-75	6	1¾	2.95	1.97	1.77
 M-895	M-882	40	Brass	1-75	6	1¾	2.95	1.97	1.77
 M-898	M-883	41	Black	1-75	6	1¾	3.95	2.64	2.37
 M-888	M-883	41	Brass	1-75	6	1¾	4.95	3.30	2.97
 M-894	M-883	41	Copper	1-75	6	1¾	4.95	3.30	2.97
 M-885	M-885	40	Black & Brass	1-75	4	2¾	9.95	6.64	5.97
 M-898	M-888	40	Brass	1-75	4	2¾	9.95	6.64	5.97
 M-898	M-888	40	Copper	1-75	4	2¾	9.95	6.64	5.97
 M-898	M-894	40	Brass	1-75	1	2	12.95	8.64	7.77
 M-895	M-895	40	Black	1-75	4	2	7.95	5.30	4.77
 M-900	M-895	40	Brass	1-75	4	2	8.95	5.97	5.37
 M-900	M-898	40	Black & Brass	1-75	1	5½	29.95	19.98	17.97
 M-903	M-900	38	Black, Adjustable	..	1	28	14.95	9.97	8.97
 M-901	M-901	38	Black	..	1	15½	14.95	9.97	8.97
 M-903	M-903	38	Black, Adjustable	..	1	8½	13.95	9.30	8.37
 M-905	M-905	38	Black	..	1	8¾	12.95	8.64	7.77
 M-906	M-906	38	Natural & Black	..	6 †	1¼	4.45	2.97	2.67
 M-907	M-907	38	Natural & Black	..	6 †	2¼	4.95	3.30	2.97
 M-913	M-913	38	Black, Adjustable, w/weather proof CO	..	1	8¾	17.95	11.97	10.77
 M-1018	M-1018	13	Brass	4-60	4	6¼	9.95	6.64	5.97
 M-1021	M-1021	22	Brass, w/switch	4-60	6	1¾	9.95	3.30	2.97
 M-1022	M-1022	15	Brass	3-100 & 1-60	1	12¾	29.95	19.98	17.97
 M-1026	M-1026	13	Brass	4-60 & 1-75wR30	1	11	24.95	16.64	14.97
 M-1031	M-1031	12, 23	Brass, w/switch	1-40	4	1¼	5.95	3.97	3.57
 M-1035	M-1035	12	Brass	5-40	1	8	27.95	18.64	16.77
 M-1041	M-1041	23	Brass	1-40	4	1½	5.95	3.97	3.57
 M-1050	M-1050	3	Brass, w/3-way switch	3-60	1	10	49.95	33.32	29.97
 M-1053	M-1053	19, 39	Aluminum Louver	1-150R40	4	1½	7.95	5.30	4.77
 M-1053	M-1053	19, 39	Brass Louver	1-150R40	4	1½	7.95	5.30	4.77
 M-1055	M-1055	39	Black (Fits M-1053 & M-1057)	..	6	½	1.95	1.30	1.17
 M-1057	M-1057	19, 39	Aluminum	2-150R40	4	2½	14.95	9.97	8.97
 M-1057	M-1057	19, 39	Brass	2-150R40	4	2½	14.95	9.97	8.97
 M-1058	M-1058	15	Black	4-60	1	5½	24.95	16.64	14.97
 M-1063	M-1063	18	Black, w/switch	1-100 or 1-75R30	4	1¾	5.95	3.97	3.57
 M-1063	M-1063	18	Brass, w/switch	1-100 or 1-75R30	4	1¾	7.95	5.30	4.77
 M-1063	M-1063	18	White, w/switch	1-100 or 1-75R30	4	1¾	5.95	3.97	3.57
 M-1067	M-1067	18	Black, w/3-way switch	2-100 or 2-75R30	4	2¾	9.95	6.64	5.97
 M-1067	M-1067	18	Brass, w/3-way switch	2-100 or 2-75R30	4	2¾	12.95	8.64	7.77
 M-1067	M-1067	18	White, w/3-way switch	2-100 or 2-75R30	4	2¾	9.95	6.64	5.97




















† No Broken Packages Will Be Shipped

Fixture	Fixture No.	Cat. Page No.	Description (Abbreviated Descriptions Are Used See M-164 Catalog For Complete Information)	No. of Lights and Wattage	Std. Pack	Ship Wt. Ea. (lbs.)	Retail Price List	Dealer's Cost	
								Less Than 6	6 or more Assorted
	M-1070	14	Brass	3-100 or 3-75R30	1	12	\$39.95	\$26.65	\$23.97
	M-1072	15	Brass	4-60	1	8	19.95	13.31	11.97
	M-1073	15	White & Brass	1-100	1	5	12.95	8.64	7.77
	M-1077	26	Brass	2-60	4	4	3.95	2.64	2.37
	M-1081	26	Rose	2-60	4	2 3/4	3.25	2.17	1.95
	M-1081	26	Turquoise	2-60	4	2 3/4	3.25	2.17	1.95
	M-1081	26	White	2-60	4	2 3/4	3.25	2.17	1.95
	M-1082	26	Brass	2-60	4	4 1/2	4.95	3.30	2.97
	M-1083	39	Black (Fits M-803, M-807, 1063, 1067) Louver	..	12	1/2	.95	.63	.57
	M-1085	24	Brass	4-60	1	6 1/4	11.95	7.97	7.17
	M-1089	25	Chromium	4-60	1	6	17.95	11.97	10.77
	M-1096	5	Brass, w/switch	2-60	1	8	27.95	18.64	16.77
	M-1097	5	Brass	1-150	1	7 1/2	29.95	19.98	17.97
	M-1099	5	White & Brass	1-150	1	7 1/2	27.95	18.64	16.77
	M-1102	12	Brass	..	12	1/2	5.95	3.97	3.57
	M-1131	23	Brass & Copper, w/switch	1-60	4	2	8.95	5.97	5.37
	M-1141	23	Brass & Copper	1-60	4	2 1/2	8.95	5.97	5.37
	M-1166	22	Brass, w/switch	2-40	4	3 1/2	12.95	8.64	7.77
	M-1167	22	Brass, w/switch	1-60	4	2	7.95	5.30	4.77
	M-1173	29	White & Brass	1-100	4	4 1/2	9.95	6.64	5.97
	M-1175	22	White & Brass	1-100	4	1 3/4	4.95	3.30	2.97
	M-1183	22	Brass	1-100	4	2 1/2	9.95	6.64	5.97
	M-1186	28	Brass	1-150	1	6	19.95	13.31	11.97
	M-1189	22	Brass	1-75	1	4 1/2	24.95	16.64	14.97
	M-1202	33	Copper, LPF, Rapid Start	1-22 & 1-32	3	8	22.95*	15.31*	13.77*
	M-1211	33	White, LPF, Rapid Start	1-32	3	6	13.45*	8.97*	8.07*
	M-1212	33	White, LPF, Rapid Start	1-22 & 1-32	3	8	20.45*	13.64*	12.27*
	M-1231	33	Chromium, LPF, Rapid Start	1-32	3	6	13.95*	9.30*	8.37*
	M-1232	33	Chromium, LPF, Rapid Start	1-22 & 1-32	3	8	20.95*	13.97*	12.57*
	M-1242	33	Chromium, LPF, Rapid Start	1-32 & 1-40	3	9	25.95*	17.31*	15.57*
	M-1243	33	Chromium, LPF, Rapid Start	1-22, 1-32, 1-40	3	12 3/4	35.95*	23.98*	21.57*
	M-1251	12, 23	Brass, w/switch	1-40	4	1 1/4	7.95	5.30	4.77
	M-1255	12	Brass	5-40	1	9	49.95	33.32	29.97
	M-1260	23	Brass	1-40	4	1 3/4	7.95	5.30	4.77


Fixture	Fixture No.	Cat. Page No.	Description (Abbreviated Descriptions Are Used See M-164 Catalog For Complete Information)	No. of Lights and Wattage	Std. Pack	Ship Wt. Ea. (lbs.)	Retail Price List	Dealer's Cost	
								Less Than 6	6 or more Assorted
 M-1261	M-1261	19	Brass	1-100	4	1 1/4	\$ 9.95	\$ 6.64	\$ 5.97
	M-1261	19	Copper	1-100	4	1 1/4	9.95	6.64	5.97
 M-1265	M-1265	12	Brass	5-40	1	12	59.95	39.99	35.97
 M-1275	M-1275	14	Brass	5-40	1	9	54.95	36.65	32.97
 M-1331	M-1331	14, 22	Black & Brass, w/switch	1-60	4	2 1/4	7.95	5.30	4.77
 M-1335	M-1335	14	Black & Brass	5-60	1	10	39.95	26.65	23.97
 M-1343	M-1343	19	Brass, w/switch	1-60 or 1-30R20	4	1 1/2	6.95	4.64	4.17
 M-1347	M-1347	19	Brass, w/3-way switch	2-60 or 2-30R20	4	2 1/4	11.95	7.97	7.17
 M-1353	M-1353	18	Brass, w/switch	1-100	4	1 1/2	7.95	5.30	4.77
 M-1357	M-1357	18	Brass, w/3-way switch	2-100	4	2 1/2	13.95	9.30	8.37
 M-1363	M-1363	18	Brass, w/switch	1-100 or 1-75R30	4	1 1/2	9.95	6.64	5.97
 M-1367	M-1367	18	Copper, w/switch	1-100 or 1-75R30	4	1 1/2	9.95	6.64	5.97
 M-1410	M-1367	18	Brass, w/3-way switch	2-100 or 2-75R30	4	2 1/2	16.95	11.31	10.17
 M-1400	M-1367	18	Copper, w/3-way switch	2-100 or 2-75R30	4	2 1/2	16.95	11.31	10.17
 M-1417	M-1400	16, 18	Brass & Black, w/3-way switch	3-75	1	10	29.95	19.98	17.97
 M-1421	M-1402	17, 18	Brass & Black, w/3-way switch	3-75	1	17	49.95	33.32	29.97
 M-1423	M-1410	8	Brass, (Canopy & Spreader only)	..	4	2 1/2	9.95	6.64	5.97
 M-1425	M-1417	9, 17	Brass, w/switch	1-75	4	3 1/4	17.95	11.97	10.77
 M-1427	M-1421	17, 19	Brass	1-75	4	3 1/2	14.95	9.97	8.97
 M-1429	M-1423	17, 19	Brass, w/switch	1-75	4	3 1/2	17.95	11.97	10.77
 M-1446	M-1424	17, 18	Brass, w/3-way switch	3-60	1	14 1/4	39.95	26.65	23.97
 M-1447	M-1425	17, 28	Brass	3-60	1	9 1/2	24.95	16.64	14.97
 M-1449	M-1427	8, 17	Brass	3-75	1	8 1/4	44.95	29.98	26.97
 M-1451	M-1429	3, 17	Brass, w/3-way switch	3-60	1	14	39.95	26.65	23.97
 M-1453	M-1446	9	Brass	1-40	4	1 3/4	16.95	11.31	10.17
 M-1455	M-1447	8	Brass	3-40	1	5 1/4	39.95	26.65	23.97

Fixture	Fixture No.	Cat. Page No.	Description (Abbreviated Descriptions Are Used See M-164 Catalog For Complete Information)	No. of Lights and Wattage	Std. Pack	Ship Wt. Ea. (lbs.)	Retail Price List	Dealer's Cost	
								Less Than 6	6 or more Assorted
 M-1460  M-1461  M-1466  M-1471  M-1467  M-1475  M-1477  M-1479  M-1481  M-1482  M-1483  M-1484  M-1487  M-1488  M-1490  M-1491  M-1499	M-1460	4	Brass & Black	1-100	1	7½	\$19.95	\$13.31	\$11.97
	M-1461	4	Brass	1-100	1	7	24.95	16.64	14.97
	M-1466	9	Brass	1-40	4	3	14.95	9.97	8.97
	M-1467	8	Brass	3-40	1	6¾	34.95	23.31	20.97
	M-1471	17, 28	Walnut & Brass	2-60	4	6½	16.95	11.31	10.17
	M-1475	17, 28	Walnut & Brass	3-75	1	9	29.95	19.98	17.97
	M-1476	9, 17	Walnut & Brass, w/switch	1-100	4	3½	17.95	11.97	10.77
	M-1477	8, 17	Walnut & Brass	3-100	1	5	44.95	29.98	26.97
	M-1479	3, 17	Walnut & Brass, w/3-way switch	4-60	1	9½	49.95	33.32	29.97
	M-1481	11	Brass, w/3-way switch	1-50/100/150	1	7	44.95	29.98	26.97
	M-1482	5	Brass	3-60	1	8	34.95	23.31	20.97
	M-1482	5	Copper	3-60	1	8	34.95	23.31	20.97
	M-1483	11	Brass, w/3-way switch	1-50/100/150	1	8¼	44.95	29.98	26.97
	M-1483	11	Copper, w/3-way switch	1-50/100/150	1	8¼	44.95	29.98	26.97
	M-1484	11	Brass, w/3-way switch	1-50/100/150	1	8¼	39.95	26.65	23.97
	M-1484	11	Copper, w/3-way switch	1-50/100/150	1	8¼	39.95	26.65	23.97
	M-1487	10	Brass, w/3-way switch	1-30/70/100	1	4¾	24.95	16.64	14.97
	M-1487	10	Copper, w/3-way switch	1-30/70/100	1	4¾	24.95	16.64	14.97
	M-1487	10	Red, w/3-way switch	1-30/70/100	1	4¾	22.95	15.31	13.77
	M-1488	10	Brass	1-100	1	4¾	17.95	11.97	10.77
	M-1488	10	Copper	1-100	1	4¾	17.95	11.97	10.77
	M-1488	10	Red	1-100	1	4¾	14.95	9.97	9.97
	M-1490	4	Brass	3-60	1	10	29.95	19.98	17.97
	M-1491	4	Brass	3-60	1	10	29.95	19.98	17.97
	M-1499	2, 10	Brass	..	1	4	12.95	8.64	7.77

Fixture	Fixture No.	Cat. Page No.	Description (Abbreviated Descriptions Are Used See M-164 Catalog For Complete Information)	No. of Lights and Wattage	Std. Pack	Ship Wt. Ea. (lbs.)	Retail Price List	Dealer's Cost	
								Less Than 6	6 or more Assorted
	M-1517	9	Brass	1-60	4	3½	\$16.95	\$11.31	\$10.17
	M-1526	2	Brass, w/switch	1-100	1	7	29.95	19.98	17.97
	M-1527	2	Brass	3-60	1	10	39.95	26.65	23.97
	M-1528	2	Brass, w/switch	3-60	1	8	39.95	26.65	23.97
	M-1530	10	Brass, w/3-way switch	1-30/70/100	1	7½	34.95	23.31	20.97
	M-1539	10	Brass, w/switch	2-100	1	8	47.95	31.98	28.77
	M-1551	23	Brass	1-40	4	2¼	14.95	9.97	8.97
	M-1553	12, 23	Brass, w/switch	1-40	4	2¼	14.95	9.97	8.97
	M-1555	12	Brass	5-25 to 5-40	1	12¾	59.95	39.99	35.97
	M-1560	12	Brass	6-25 to 6-40	1	12½	59.95	39.99	35.97
	M-1561	22	Brass	2-25 to 2-40	1	6	29.95	19.98	17.97
	M-1566	29	White & Brass	1-100	1	5¼	14.95	9.97	8.97
	M-1572	9, 16	Brass	1-60 or 1-75	4	2	12.95	8.64	7.77
	M-1575	28, 16	Brass	2-60	4	3½	9.95	6.64	5.97
	M-1577	8, 16	Brass	3-75	1	5	29.95	19.98	17.97
	M-1579	2, 16	Brass, w/switch	3-60	1	8½	34.95	23.31	20.97
	M-1585	14	Brass	16-25 to 16-40	1	12	39.95	26.65	23.97
	M-1588	13	Brass	6-40	1	8½	79.95	53.33	47.97
	M-1818	38	Black & Brass	1-100	1	5	24.95	16.64	14.97
	M-1853	38	Black	1-150	1	6½	14.95	9.97	8.97

Fixture	Fixture No.	Cat. Page No.	Description (Abbreviated Descriptions Are Used See M-164 Catalog For Complete Information)	No. of Lights and Wattage	Std. Pack	Ship Wt. Ea. (lbs.)	Retail Price List	Dealer's Cost	
								Less Than 6	6 or more Assorted
	M-2402	32	Chromium & White, LPF	2-20	1	6¾	\$14.95	\$ 9.97	\$ 8.97
	M-2404	32	Chromium & White, LPF	4-20	1	9	24.95	16.64	14.97
	M-4002	27	Brass	2-60	4	3	6.95	4.64	4.17
	M-4004	27	Brass	2-60	4	4	7.95	5.30	4.77
	M-4006	27	Brass	4-60	4	6	9.95	6.64	5.97
	M-4015	26	Brass	4-60	4	5	8.95	5.97	5.37
	M-4017	24	Brass	4-60	4	6	14.95	9.97	8.97
	M-4018	25	Brass	4-60	1	9	19.95	13.31	11.97
	M-4020	24	Brass	4-60	1	9¼	19.95	13.31	11.97
	M-4020	25	Brass	4-60	1	7	21.95	14.64	13.17
	M-4023	25	Brass	4-60 & 1-75	1	11½	21.95	14.64	13.17
	M-4026	25	Brass	4-60	1	9½	19.95	13.31	11.97
	M-4029	24	Brass	4-60	1	11	19.95	13.31	11.97
	M-4045	24	Brass	4-60	1	9¼	17.95	11.97	10.77
	M-4050	29	Brass	4-60	1	6½	29.95	19.98	17.97
	M-4061	28	Brass	2-60	4	4½	10.95	7.30	6.57
	M-4061	28	White	2-60	4	4½	8.95	5.97	5.37
	M-4062	28	Brass	3-60	4	7½	14.95	9.97	8.97
	M-4062	28	White	3-60	4	7½	12.95	8.64	7.77
	M-4066	29	White	2-60	4	6	8.95	5.97	5.37
	M-4072	30	Chromium	4-60	1	6½	14.95	9.97	8.97
	M-4078	29	Chromium	1-100	4	4½	12.95	8.64	7.77
	M-4078	29	Brass	1-100	4	4½	12.95	8.64	7.77
	M-4078	29	Copper	1-100	4	4½	12.95	8.64	7.77
	M-4080	29	Chromium	4-40	1	8	19.95	13.31	11.97
	M-4080	29	Brass	4-40	1	8	19.95	13.31	11.97
	M-4080	29	Copper	4-40	1	8	19.95	13.31	11.97
	M-4086	29	Chromium	4-60	1	10¾	27.95	18.64	16.77
	M-4086	29	Brass	4-60	1	10¾	27.95	18.64	16.77
	M-4086	29	Copper	4-60	1	10¾	27.95	18.64	16.77
	M-4100	32	White	..	12 Pr.	½	2.45	1.63	1.47
	M-4115	32	White, LPF	1-15	6	3	4.65	3.10	2.79
	M-4117	32	White, LPF, Trigger Start	1-15	6	3¾	7.60	5.07	4.56
	M-4120	32	White, LPF	1-20	6	3¾	4.70	3.14	2.82
	M-4126	32	White, LPF, Trigger Start, Dimmer	1-20	6	3¾	7.45	4.97	4.47
	M-4130	32	White, LPF	1-30	4	6¼	7.35	4.90	4.41
	M-4136	32	White, LPF, Rapid Start	1-30	4	7¼	9.65	6.44	5.79
	M-4137	32	White, HPF, Rapid Start	1-30	4	8¼	14.45	9.64	8.67
	M-4140	32	White, LPF	1-40	4	7½	7.35	4.90	4.41
	M-4141	32	White, HPF	1-40	3	9	12.25	8.17	7.35
	M-4142	32	White, LPF, Rapid Start	1-40	4	8¼	9.50	6.34	5.70
	M-4143	32	White, HPF, Rapid Start	1-40	1	9¼	14.45	9.64	8.67
	M-4146	32	White, LPF, Rapid Start, Dimmer	1-40	4	7½	15.95	10.64	9.57
	M-4180	32	White, HPF, Tandem	2-40	1	14½	16.75	11.17	10.05
	M-4183	32	White, HPF, Rapid Start, Tandem	2-40	1	14¾	20.40	13.61	12.24
	M-4240	32	White, HPF, Parallel	2-40	1	12¼	15.20	10.14	9.12
	M-4243	32	White, HPF, Rapid Start, Parallel	2-40	1	12	18.25	12.17	10.95
	M-4802	32	Chromium & White, HPF	2-40	1	12	24.95	16.64	14.97
	M-4900	39	Aluminum, w/cord & plug	1 Par 38 or 1-100R40	12	1	2.95	1.97	1.77
	M-6360	6	Dimmer Control	..	1	..	34.95	23.31	20.97


PRE-WIRED RECESSED FIXTURES




HOUSING ONLY



TRIM ONLY



FLAT ALBA-LITE
GLASS



FRESNEL LENS




BENT, WHITE GLASS



DROP OPAL GLASS

Housings, trim and glass are packaged separately and must be ordered accordingly.

FOR ENGINEERING DATA REFER TO THE SEPARATE MOE LIGHT RECESSED LIGHTING CATALOG

Fixture	Fixture No.	Cat. Page No.	Description (Abbreviated Descriptions Are Used See M-164 Catalog For Complete Information)	No. of Lights	Std. Pack	Ship Wt. Ea. (lbs.)	Retail Price List	Dealer's Cost	
								Less Than 6	6 or more Assorted
	M-5600	44	Bar Hangers (Pair) for use with following pre-wired housings only: M-6606, M-6608, M-5614, M-5616, M-5675, M-5680, M-5690, M-5694, M-5695, M-5696, M-5697, M-5698	..	12 Pr.	¼	\$.90	\$.60	\$.54
Housing Only	M-6606	44	8½"x8½"x4¼" Deep; 100W Square	1	4	4½	6.40	4.27	3.84
Trim & Glass for M-6606 Housing	M-606	44	Trim only for M-6606. O.D. 9¼"x9¼". Finishes: Aluminum; Satin Brass; Chromium; White	..	4	*1¼	3.55	2.37	2.13
	M-6	44	Flat Alba-Lite Glass for M-6606	..	4	1¼	1.10	.73	.66
	M-16	44	Bent White Glass for M-6606	..	4	1	3.55	2.37	2.13
	M-26	44	Fresnel Lens for M-6606	..	4	2¼	4.45	2.97	2.67
	M-46	44	Drop Opal Glass for M-6606	..	4	2¼	3.55	2.37	2.13
Housing Only	M-6608	44	10½"x10½"x4¼" Deep; 150W Square	1	4	5¼	7.45	4.97	4.47
Trim & Glass for M-6608 Housing	M-608	44	Trim only for M-6608. O.D. 11¼"x11¼"; Finishes: Alum.; Satin Brass; Chromium; Solid Copper; White	..	4	1½	3.90 COPPER 6.65	2.60 COPPER 4.44	2.34 COPPER 3.99
	M-8	44	Flat Alba-Lite Glass for M-6608	..	4	1¾	1.45	.97	.87
	M-18	44	Bent White Glass for M-6608	..	4	1½	3.90	2.60	2.34
	M-28	44	Fresnel Lens for M-6608	..	4	3	5.65	3.77	3.39
	M-48	44	Drop Opal Glass for M-6608	..	4	3½	3.90	2.60	2.34
Housing Only	M-5613	44	12½"x12½"x7½" Deep; 300W Square	1	1	8	11.95	7.97	7.17
Trim & Glass for M-5613 Housing	M-613	44	Trim only for M-5613. O.D. 14¾"x14¾". Finishes: Aluminum; Satin Brass; Chromium; White	..	4	*2	6.95	4.64	4.17
	M-3	44	Flat Alba-Lite Glass for M-5613	..	4	2¾	2.25	1.50	1.35
	M-13	44	Bent White Glass for M-5613	..	4	2½	6.20	4.14	3.72
	M-23	44	Fresnel Lens for M-5613	..	4	5½	9.30	6.20	5.58
	M-43	44	Drop Opal Glass for M-5613	..	4	5	6.90	4.60	4.14
Housing Only	M-5614	44	9½"x6½"x4¼" Deep. 60W Rectangular	1	4	4	5.80	3.87	3.48
Trim & Glass for M-5614 Housing	M-614	44	Trim only for M-5614. O.D. 10¼"x7¼"; Finishes: Aluminum; Satin Brass; Chromium; White	..	4	*1¼	2.80	1.87	1.68
	M-4	44	Flat Alba-Lite Glass for M-5614	..	4	1¼	1.40	.93	.84
Housing Only	M-5616	44	12½"x8½"x4½" Deep. 100W Rectangular	1	4	5¼	6.40	4.27	3.84
Trim & Glass for M-5616 Housing	M-616	44	Trim only for M-5616. O.D. 13¼"x9¼"; Finishes: Aluminum; Satin Brass; Chromium; White	..	4	*1½	3.10	2.07	1.86
	M-7	44	Flat Alba-Lite Glass for M-5616	..	4	1¾	1.65	1.10	.99
	M-17	44	Bent White Glass for M-5616	..	4	1½	4.35	2.90	2.61

*Weights given apply to Satin Brass, Chromium, Copper, and White trims. Corresponding aluminum trims are ½ lb. lighter.

*NOTE: (1) For finished opening size add ¼" to housing length and width dimensions. (2) On Pre-Wired Recessed Boxes up to and including 150W size, outlet box extends 4" from housing. On 300W size, outlet box extends 6½". Outlet box can be retracted into housing for installation in square or rectangular opening.

PRE-WIRED RECESSED DOWNLIGHTS



FOR ENGINEERING DATA REFER TO THE SEPARATE MOE LIGHT RECESSED LIGHTING CATALOG





Fixture	Fixture No.	Cat. Page No.	Description (Abbreviated Descriptions Are Used See M-164 Catalog For Complete Information)	No. of Lights	Std. Pack	Ship Wt. Ea. (lbs.)	Retail Price List	Dealer's Cost	
								Less Than 6	6 or more Assorted
Housing Only	M-5680	47	Pre-wired; 8 $\frac{1}{8}$ "x8 $\frac{1}{8}$ "x5 $\frac{3}{4}$ " Deep; R30-75W or R40-150W	1	4	5 $\frac{1}{2}$	\$ 6.95	\$ 4.64	\$ 4.17
Trim for M-5680 Housing	M-84	47	Trim: 6 $\frac{7}{8}$ " Dia.; R30-75W; Chromium; Satin Brass; White; or Aluminum	1	4	1 $\frac{1}{4}$	3.00	2.00	1.80
	M-85	47	Trim: 7 $\frac{1}{2}$ " Dia.; R40-150W; Chromium; Satin Brass; White; or Aluminum	1	4	2	3.00	2.00	1.80
Housing Only	M-5690	47	Pre-wired; 8 $\frac{1}{8}$ "x8 $\frac{1}{8}$ "x7 $\frac{3}{4}$ " Deep; R30-75W	1	4	6	7.50	5.00	4.50
Trim for M-5690 Housing	M-91	47	Trim: 6 $\frac{1}{2}$ " Dia.; 1 $\frac{1}{2}$ " Aperture; Chromium; Satin Brass; White; or Aluminum	1	4	1 $\frac{1}{4}$	3.95	2.64	2.37
	M-92	47	Trim: 6 $\frac{1}{2}$ " Dia.; 2" Aperture; Chromium; Satin Brass; White; or Aluminum	1	4	1 $\frac{1}{4}$	3.95	2.64	2.37
	M-93	47	Trim: 6 $\frac{1}{2}$ " Dia.; 3" Aperture; Chromium; Satin Brass; White; or Aluminum	1	4	1 $\frac{1}{4}$	3.95	2.64	2.37
Housing Only	M-5694	47	Pre-wired; 8 $\frac{1}{8}$ "x8 $\frac{1}{8}$ "x7 $\frac{3}{4}$ " Deep; R30-75W	1	4	6	7.50	5.00	4.50
Trim for M-5694 Housing	M-94	47	Trim: 6 $\frac{1}{2}$ " Dia.; Black Louver; Chromium; Satin Brass; White; or Aluminum	1	4	1 $\frac{1}{2}$	4.45	2.97	2.67
Housing Only	M-5695	46	Pre-wired; 9 $\frac{1}{8}$ "x9 $\frac{1}{8}$ "x7 $\frac{3}{4}$ " Deep; R40-150W	1	4	6	7.95	5.30	4.77
Trim for M-5695 Housing	M-95	46	Trim: 8 $\frac{3}{4}$ " Dia.; Black Louver; Chromium; Satin Brass; White; or Aluminum	1	4	2	5.00	3.34	3.00
Housing Only	M-5696	46	Pre-wired; 9 $\frac{1}{8}$ "x9 $\frac{1}{8}$ "x9 $\frac{1}{2}$ " Deep; R40-150W	1	1	7 $\frac{1}{2}$	10.95	7.30	6.57
Trim for M-5696 Housing	M-96	46	Trim: 9" Dia.; Chromium; Satin Brass; White; or Aluminum	1	1	2 $\frac{1}{2}$	9.00	6.00	5.40

RECESSED FIXTURES PACKAGED COMPLETE





	M-5618	46	Pre-wired; Flat Alba-Lite Glass; Housing: 24 $\frac{1}{4}$ "x6 $\frac{3}{4}$ "x6 $\frac{1}{4}$ "; Trim: 25 $\frac{3}{8}$ "x7 $\frac{7}{8}$ " O.D.; 2-100W; Chromium	2	1	15	21.95	14.64	13.17
	M-5619	46	Pre-wired; White Bent Glass; Housing: 24 $\frac{1}{4}$ "x6 $\frac{3}{4}$ "x6 $\frac{1}{4}$ "; Trim: 25 $\frac{3}{8}$ "x7 $\frac{7}{8}$ " O.D.; 2-100W; Chromium	2	1	15	24.95	16.64	14.97
	M-5620	46	Flat Alba-Lite Glass; Housing: 24 $\frac{1}{4}$ "x6 $\frac{3}{4}$ "x4 $\frac{1}{4}$ "; Trim: 25 $\frac{3}{8}$ "x7 $\frac{7}{8}$ " O.D.; 2-20W Fluor.; Trigger-Start; Chromium	2	1	13 $\frac{1}{2}$	25.95	17.31	15.57
	M-5650	46	Bent White Glass; Housing: 24 $\frac{1}{4}$ "x6 $\frac{3}{4}$ "x4 $\frac{1}{4}$ "; Trim: 25 $\frac{3}{8}$ "x7 $\frac{7}{8}$ " O.D.; 2-20W Fluor.; Trigger-Start; Chromium	2	1	13 $\frac{1}{2}$	28.95	19.31	17.37
	M-5655	46	Dia. 5 $\frac{1}{2}$ "; Depth 6"; Flange Dia. 7 $\frac{1}{2}$ "; 60W; Chromium	1	4	2 $\frac{3}{4}$	7.25	4.84	4.35
	M-5661	46	Dia. 4 $\frac{1}{2}$ "; Depth 5"; Flange Dia. 5-9/16"; R30-75W; Polished Aluminum	1	4	2	5.45	3.64	3.27
	M-5662	46	Dia. 4 $\frac{1}{2}$ "; Depth 7"; Flange Dia. 5-9/16"; R30-75W; w/Louver; Polished Aluminum	1	4	2 $\frac{1}{4}$	6.95	4.64	4.17
	M-5671	46	Dia. 5 $\frac{1}{2}$ "; Depth 6"; Flange Dia. 7"; R40-150W; Polished Aluminum	1	4	2 $\frac{1}{4}$	5.75	3.84	3.45
	M-5672	46	Dia. 5 $\frac{1}{2}$ "; Depth 8 $\frac{1}{4}$ "; Flange Dia. 7"; R40-150W; w/Louver; Polished Aluminum	1	4	2 $\frac{3}{4}$	7.45	4.97	4.47

RECESSED FIXTURES PACKAGED COMPLETE — Cont.

FOR ENGINEERING DATA REFER TO THE SEPARATE MOE LIGHT RECESSED LIGHTING CATALOG

Fixture	Fixture No.	Cat. Page No.	Description (Abbreviated Descriptions Are Used See M-164 Catalog For Complete Information)	No. of Lights	Std. Pack	Ship Wt. Ea. (lbs.)	Retail Price List	Dealer's Cost	
								Less Than 6	6 or more Assorted
 M-5675	M-5675	46	Pre-wired; Drop Opal Glass; Housing: 8"x8"x5 3/4"; Trim: 7 1/4" Dia.; 1-60W Incandescent; Polished Aluminum	1	4	7	\$10.95	\$ 7.30	\$ 6.57
 M-5679	M-5679	46	Aluminum Face-Glass behind Louvers; Housing: 7 1/8"x4 1/8"x3 3/8"; Trim: 8 5/8"x5 5/8" Dia.; 1-25W Incandescent; Aluminum; S & CO	1	4	4 1/2	7.95	5.30	4.77
 M-5697	M-5697	47	Pre-wired; Eye Ball Unit; Housing: 8 1/2"x8 1/2"x5 3/4"; Trim: 9 1/4" Dia.; R20-30W; Satin Brass	1	1	5 1/4	16.95	11.31	10.17
 M-5698	M-5698	47	Pre-wired; Eye Ball Unit; Housing: 8 1/8"x8 1/8"x5 3/4"; Trim: 9 1/4" Dia.; R30-75W; Satin Brass; Satin Aluminum	1	1	5 1/4	21.95	14.64	13.17

BATHROOM CABINETS

Fixture	Fixture No.	Cat. Page No.	DESCRIPTION				Std. Pack	Ship Wt. Ea. (lbs.)	Retail Price List	Dealer's Cost	
			Wall Opening	Overall Mirror Size	Mirror Quality	Glass Shelves				Less Than 6	6 or more Assorted
 MC-1601 MC-1602	MC-1601	35	14"x18"x3 3/4"	16"x22"	Window	2	1	16	\$11.95	\$ 7.97	\$ 7.17
 MC-1652	MC-1602	35	14"x18"x3 3/4"	16"x22"	Plate	2	1	20	17.95	11.97	10.77
 MC-1681	MC-1652	35	14"x18"x3 3/4"	16"x22"	Plate	2	1	29	34.95*	23.31*	20.97*
 MC-1683	MC-1681	35	29"x18"x3 3/4"	30"x17"	Plate	4	1	35	39.95	26.65	23.97
	MC-1683	35	29"x18"x3 3/4"	30"x17"	Plate	4	1	42	69.95*	46.66*	41.97*

PRE-WIRED RECESSED FIXTURES

For your convenience complete unit prices are shown below for those items where housings and trim and glass are packed separately.
For ordering information see preceding price list pages.

Fixture No.	Cat. Page No.	Description (Abbreviated Descriptions Are Used See M-164 Catalog For Complete Information)	Retail Price List	Dealer's Cost	
				Less Than 6	6 or more Assorted
M-6606-606-6	45	Flat Alba-Lite Glass; 100W; Aluminum; Satin Brass; Chromium; White	\$11.05	\$ 7.37	\$ 6.63
M-6606-606-16	45	Bent White Glass; 100W; Aluminum; Satin Brass; Chromium; White	13.50	9.01	8.10
M-6606-606-26	45	Glass, Fresnel Lens; 100W; Aluminum; Satin Brass; Chromium; White	14.40	9.61	8.64
M-6606-606-46	45	Drop Opal Glass; 100W; Aluminum; Satin Brass; Chromium; White	13.50	9.06	8.10
M-6608-608-8	45	Flat Alba-Lite Glass; 150W; Aluminum; Satin Brass; Chromium; Solid Copper; White	12.80	8.54	7.68
			COPPER 15.55	COPPER 10.38	COPPER 9.33
M-6608-606-18	45	Bent White Glass; 150W; Aluminum; Satin Brass; Chromium; Solid Copper; White	15.25	10.17	9.15
			COPPER 18.00	COPPER 12.01	COPPER 10.80
M-6608-608-28	45	Glass, Fresnel Lens; 150W; Aluminum; Satin Brass; Chromium; Solid Copper; White	17.00	11.34	10.20
			COPPER 19.75	COPPER 13.18	COPPER 11.85
M-6608-608-48	45	Drop Opal Glass; 150 W; Aluminum; Satin Brass; Chromium; Solid Copper; White	15.25	10.17	9.15
			COPPER 18.00	COPPER 12.01	COPPER 10.80
M-5613-613-3	45	Flat Alba-Lite Glass; 300W; Aluminum; Satin Brass; Chromium; White	21.15	14.11	12.69
M-5613-613-13	45	Bent White Glass; 300W; Aluminum; Satin Brass; Chromium; White	25.10	16.75	15.06
M-5613-613-23	45	Glass, Fresnel Lens; 300W; Aluminum; Satin Brass; Chromium; White	28.20	18.81	16.92
M-5613-613-43	45	Drop Opal Glass; 300W; Aluminum; Satin Brass; Chromium; White	25.80	17.21	15.48
M-5614-614-4	45	Flat Alba-Lite Glass; 60W; Aluminum; Satin Brass; Chromium; White	10.00	6.67	6.00
M-5616-616-7	45	Flat Alba-Lite Glass; 100W; Aluminum; Satin Brass; Chromium; White	11.15	7.44	6.69
M-5616-616-17	45	Bent White Glass; 100W; Aluminum; Satin Brass; Chromium; White	13.85	9.24	8.31
M-5680-84	47	Pre-wired; R30-75W; Chromium; Satin Brass; White; Aluminum	9.95	6.64	5.97
M-5680-85	47	Pre-wired; R40-150W; Chromium; Satin Brass; White; Aluminum	9.95	6.64	5.97
M-5690-91	47	Pre-wired; R30-75W; 1½" Aperture; Chromium; Satin Brass; White; Aluminum	11.45	7.64	6.87
M-5690-92	47	Pre-wired; R30-75W; 2" Aperture; Chromium; Satin Brass; White; Aluminum	11.45	7.64	6.87
M-5690-93	47	Pre-wired; R30-75W; 3" Aperture; Chromium; Satin Brass; White; Aluminum	11.45	7.64	6.87
M-5694-94	47	Pre-wired; R30-75W; Black Louver; Chromium; Satin Brass; White; Aluminum	11.95	7.97	7.17
M-5695-95	46	Pre-wired; R40-150W; Black Louver; Chromium; Satin Brass; White; Aluminum	12.95	8.64	7.77
M-5696-96	46	Pre-wired; R40-150W; Chromium; Satin Brass; White; Aluminum	19.95	13.30	11.97

THOMAS INDUSTRIES INC., MOE LIGHT DIVISION

EXECUTIVE OFFICES: 410 South Third Street, Louisville 2, Kentucky

FACTORIES AT: Fort Atkinson and Sheboygan, Wis.; Hopkinsville, Ky.; Los Angeles 22, Calif.; Fort Smith, Ark.

M-164 "Inspiration Lighting" Catalog

Effective January 15, 1959

NOTE: Fluorescent Lamps not furnished with fixtures except where specified.
Prices marked with an asterisk * indicate fixtures shipped complete with Lamps.
Letters LPF indicate LOW POWER FACTOR; letters HPF indicate HIGH POWER FACTOR.

ZONE A



RETAIL PRICE LIST

Fixture No.	Cat. Page No.	Description	List Price	Fixture No.	Cat. Page No.	Description	List Price	Fixture No.	Cat. Page No.	Description	List Price
M-31	31	Ivory	\$ 1.65	M-815	22	Brass	\$ 2.50	M-1063	18	Brass	\$ 7.95
M-115	34	Chromium	6.45	M-823	38	Black	12.95	M-1063	18	White	5.95
M-116	34	Chromium & White	9.95	M-823	38	Weathered Brass	19.95	M-1067	18	Black	9.95
M-131	34	Chromium	4.95	M-824	38	Black	8.95	M-1067	18	Brass	12.95
M-214	24	Brass	10.95	M-825	40	Black	9.95	M-1067	18	White	9.95
M-216	24	Brass	12.95	M-826	40	Black	9.95	M-1070	14	Brass	39.95
M-222	27	Brass	6.95	M-839	10	Antique Copper	24.95	M-1072	15	Brass	19.95
M-224	27	Brass	7.95	M-840	10	Antique Copper	29.95	M-1073	15	White & Brass	12.95
M-226	27	Brass	9.95	M-841	22	Brass	9.95	M-1077	26	Brass	3.95
M-232	26	Brass	7.95	M-843	38	Black & Brass	29.95	M-1081	26	Rose	3.25
M-233	26	Brass	4.95	M-844	38	Black	17.95	M-1081	26	Turquoise	3.25
M-260	26	Rose	3.95	M-845	38	Black	18.95	M-1081	26	White	3.25
M-260	26	Turquoise	3.95	M-853	38	Black	21.95	M-1082	26	Brass	4.95
M-260	26	White	3.95	M-865	40	Black	4.95	M-1083	39	Black	.95
M-263	26	Brass	8.95	M-865	40	Brass	6.95	M-1085	24	Brass	11.95
M-265	26	Brass	9.95	M-865	40	Copper	6.95	M-1089	25	Chromium	17.95
M-311	34	Chromium & White	13.95	M-868	40	Black	9.95	M-1096	5	Brass	27.95
M-312	34	Chromium & White; LPF	15.95	M-872	41	Black	6.95	M-1097	5	Brass	29.95
M-314	34	Chromium & White; LPF	24.95	M-872	41	Brass	7.95	M-1099	5	White & Brass	27.95
M-317	34	Chromium; LPF	29.95*	M-874	40	Aluminum	5.45	M-1102	12	Brass	5.95
M-319	34	Chromium; LPF	12.95	M-875	40	Aluminum	7.95	M-1131	23	Brass & Copper	8.95
M-336	34	Chromium	2.95	M-877	41	Black	6.95	M-1141	23	Brass & Copper	8.95
M-337	34	White	2.95	M-877	41	Brass	7.95	M-1166	22	Brass	12.95
M-339	34	Chromium; LPF	7.45	M-877	41	Copper	7.95	M-1167	22	Brass	7.95
M-352	30	White	5.95	M-879	41	Black	8.45	M-1173	29	White & Brass	9.95
M-354	30	White; LPF	14.95	M-879	41	Brass	9.95	M-1175	22	White & Brass	4.95
M-359	34	Chromium; LPF	10.95	M-879	41	Copper	9.95	M-1183	22	Brass	9.95
M-402	30	Aluminum	21.95	M-880	41	Brass	3.45	M-1186	28	Brass	19.95
M-406	31	Chromium	5.45	M-880	41	Copper	3.45	M-1189	22	Brass	24.95
M-408	31	Chromium	6.45	M-881	41	Black	2.95	M-1202	33	Copper; LPF	22.95*
M-410	31	Chromium	8.45	M-882	40	Brass	2.95	M-1211	33	White; LPF	13.45*
M-412	31	Chromium	10.95	M-883	41	Black	3.95	M-1212	33	White; LPF	20.45*
M-414	31	Chromium	14.45	M-883	41	Brass	4.95	M-1231	33	Chromium; LPF	13.95*
M-416	31	Chromium	19.95	M-883	41	Copper	4.95	M-1232	33	Chromium; LPF	20.95*
M-426	31	Chromium	3.95	M-885	40	Black & Brass	9.95	M-1242	33	Chromium; LPF	25.95*
M-428	31	Chromium	5.45	M-888	40	Brass	9.95	M-1243	33	Chromium; LPF	35.95*
M-430	31	Chromium	6.45	M-888	40	Copper	9.95	M-1251	12, 23	Brass	7.95
M-432	31	Chromium	10.95	M-894	40	Brass	12.95	M-1255	12	Brass	49.95
M-458	30	Chromium	6.95	M-895	40	Black	7.95	M-1260	23	Brass	7.95
M-460	30	Chromium	8.95	M-895	40	Brass	8.95	M-1261	19	Brass	9.95
M-478	31	Copper	9.95	M-898	40	Black & Brass	29.95	M-1261	19	Copper	9.95
M-480	31	Copper	11.95	M-900	38	Black	14.95	M-1265	12	Brass	59.95
M-630	30	Chromium	9.95	M-901	38	Black	14.95	M-1275	14	Brass	54.95
M-653	30	Chromium	3.95	M-903	38	Black	13.95	M-1331	14, 22	Black & Brass	7.95
M-654	30	Chromium	4.95	M-905	38	Black	12.95	M-1335	14	Black & Brass	39.95
M-700	34	Chromium	2.95	M-906	38	Natural & Black	4.45	M-1343	19	Brass	6.95
M-702	34	Chromium	2.75	M-907	38	Natural & Black	4.95	M-1347	19	Brass	11.95
M-703	34	Chromium	4.95	M-913	38	Black	17.95	M-1353	18	Brass	7.95
M-716	28	Brass	6.95	M-1018	13	Brass	9.95	M-1357	18	Brass	13.95
M-728	28	Brass	8.95	M-1021	22	Brass	4.95	M-1363	18	Brass	9.95
M-730	28	Brass	10.95	M-1022	15	Brass	29.95	M-1363	18	Copper	9.95
M-738	28	Brass	6.95	M-1026	13	Brass	24.95	M-1367	18	Brass	16.95
M-740	28	Brass	8.95	M-1031	12, 23	Brass	5.95	M-1367	18	Copper	16.95
M-744	22	Brass	6.95	M-1035	12	Brass	27.95	M-1400	16, 18	Brass & Black	29.95
M-747	35	Chromium & White	9.95	M-1041	23	Brass	5.95	M-1402	17, 18	Brass & Black	49.95
M-749	34	Chromium	9.95	M-1050	3	Brass	49.95	M-1410	8	Brass	9.95
M-766	34	Chromium	12.95	M-1053	19, 39	Aluminum	7.95	M-1417	9, 17	Brass	17.95
M-767	34	Chromium	7.95	M-1053	19, 39	Brass	7.95	M-1421	17, 19	Brass	14.95
M-768	35	Chromium	17.95	M-1055	39	Black	1.95	M-1423	17, 19	Brass	17.95
M-803	18, 39	Aluminum	6.95	M-1057	19, 39	Aluminum	14.95	M-1424	17, 18	Brass	39.95
M-803	18, 39	Black	5.95	M-1057	19, 39	Brass	14.95	M-1425	17, 28	Brass	24.95
M-807	39	Aluminum	11.95	M-1058	15	Black	24.95	M-1427	8, 17	Brass	44.95
M-807	39	Black	9.95	M-1063	18	Black	5.95	M-1429	3, 17	Brass	39.95

Fixture No.	Cat. Page No.	Description	List Price	Fixture No.	Cat. Page No.	Description	List Price	Fixture No.	Cat. Page No.	Description	List Price
M-1446	9	Brass	\$16.95	M-1539	10	Brass	\$47.95	M-4062	28	Brass	\$14.95
M-1447	8	Brass	39.95	M-1551	23	Brass	14.95	M-4062	28	White	12.95
M-1460	4	Brass & Black	19.95	M-1553	10	Brass	14.95	M-4066	29	White	8.95
M-1461	4	Brass	24.95	M-1555	12	Brass	59.95	M-4072	30	Chromium	14.95
M-1466	9	Brass	14.95	M-1560	12	Brass	59.95	M-4078	29	Chromium	12.95
M-1467	8	Brass	34.95	M-1561	22	Brass	29.95	M-4078	29	Brass	12.95
M-1471	17, 28	Walnut & Brass	16.95	M-1566	29	White & Brass	14.95	M-4078	29	Copper	12.95
M-1475	17, 28	Walnut & Brass	29.95	M-1572	9, 16	Brass	12.95	M-4080	29	Chromium	19.95
M-1476	9, 17	Walnut & Brass	17.95	M-1575	16, 28	Brass	9.95	M-4080	29	Brass	19.95
M-1477	8, 17	Walnut & Brass	44.95	M-1577	8, 16	Brass	29.95	M-4080	29	Copper	19.95
M-1479	3, 17	Walnut & Brass	49.95	M-1579	2, 16	Brass	34.95	M-4086	29	Chromium	27.95
M-1481	11	Brass	44.95	M-1585	14	Brass	39.95	M-4086	29	Brass	27.95
M-1482	5	Brass	34.95	M-1588	13	Brass	79.95	M-4086	29	Copper	27.95
M-1482	5	Copper	34.95	M-1818	38	Black & Brass	24.95	M-4100	32	White	2.45
M-1483	11	Brass	44.95	M-1853	38	Black	14.95	M-4115	32	White; LPF.	4.65
M-1483	11	Copper	44.95	M-2402	32	Chromium & White; LPF.	14.95	M-4117	32	White; LPF.	7.60
M-1484	11	Brass	39.95	M-2404	32	Chromium & White; LPF.	24.95	M-4120	32	White; LPF.	4.70
M-1484	11	Copper	39.95	M-4002	27	Brass	6.95	M-4126	32	White; LPF.	7.45
M-1487	10	Brass	24.95	M-4004	27	Brass	7.95	M-4130	32	White; LPF.	7.35
M-1487	10	Copper	24.95	M-4006	27	Brass	9.95	M-4136	32	White; LPF.	9.65
M-1487	10	Red	22.95	M-4015	26	Brass	8.95	M-4137	32	White; HPF.	14.45
M-1488	10	Brass	17.95	M-4017	24	Brass	14.95	M-4140	32	White; LPF.	7.35
M-1488	10	Copper	17.95	M-4018	25	Brass	19.95	M-4141	32	White; HPF.	12.25
M-1488	10	Red	14.95	M-4020	24	Brass	19.95	M-4142	32	White; LPF.	9.50
M-1490	4	Brass	29.95	M-4023	25	Brass	21.95	M-4143	32	White; HPF.	14.45
M-1491	4	Brass	29.95	M-4026	25	Brass	21.95	M-4146	32	White; LPF.	15.95
M-1499	2, 10	Brass	12.95	M-4027	25	Brass	19.95	M-4180	32	White; HPF.	16.75
M-1517	9	Brass	16.95	M-4029	24	Brass	19.95	M-4183	32	White; HPF.	20.40
M-1526	2	Brass	29.95	M-4045	24	Brass	17.95	M-4240	32	White; HPF.	15.20
M-1527	8	Brass	39.95	M-4050	29	Brass	29.95	M-4243	32	White; HPF.	18.25
M-1528	2	Brass	39.95	M-4061	28	Brass	10.95	M-4802	32	Chromium & White; HPF.	24.95
M-1530	10	Brass	34.95	M-4061	28	White	8.95	M-4900	39	Aluminum	2.95
								M-6360	6	Dimmer Control	34.95

RECESSED FIXTURES PACKAGED COMPLETE

M-5618	46	Chromium	\$21.95	M-5655	46	Chromium	\$ 7.25	M-5675	46	Polished Aluminum	\$10.95
M-5619	46	Chromium	24.95	M-5661	46	Aluminum	5.45	M-5679	46	Aluminum	7.95
M-5620	46	Chromium	25.95	M-5662	46	Polished Aluminum	6.95	M-5697	47	Satin Brass	16.95
M-5650	46	Chromium	28.95	M-5671	46	Polished Aluminum	5.75	M-5698	47	Satin Brass; Satin Alum.	21.95
				M-5672	46	Polished Aluminum	7.45				

RECESSED FIXTURES PRICED AS COMPLETE UNITS

M-5600	44	Bar Hanger	\$.90	M-6608-608-28	44	Solid Copper	\$19.75	M-5616-616-17	44	Alum.; Satin Brass; Chrom.; White	\$13.85
M-6606-606-6	44	Alum.; Satin Brass; Chrom.; White	11.05	M-6608-608-48	44	Satin Brass; Chrom.; White	15.25	M-5680-84	47	Chrom.; Satin Brass; White; Alum.	9.95
M-6606-606-16	44	Alum.; Satin Brass; Chrom.; White	13.50	M-6608-608-48	44	Solid Copper	18.00	M-5680-85	47	Chrom.; Satin Brass; White; Alum.	9.95
M-6606-606-26	44	Alum.; Satin Brass; Chrom.; White	14.40	M-5613-613-3	44	Alum.; Satin Brass; Chrom.; White	21.15	M-5690-91	47	Chrom.; Satin Brass; White; Alum.	11.45
M-6606-606-46	44	Alum.; Satin Brass; Chrom.; White	13.50	M-5613-613-13	44	Alum.; Satin Brass; Chrom.; White	25.10	M-5690-92	47	Chrom.; Satin Brass; White; Alum.	11.45
M-6608-608-8	44	Satin Brass; Chrom.; White	12.80	M-5613-613-23	44	Alum.; Satin Brass; Chrom.; White	28.20	M-5690-93	47	Chrom.; Satin Brass; White; Alum.	11.45
M-6608-608-8	44	Solid Copper	15.55	M-5613-613-43	44	Alum.; Satin Brass; Chrom.; White	25.80	M-5694-94	47	Chrom.; Satin Brass; White; Alum.	11.95
M-6608-608-18	44	Satin Brass; Chrom.; White	15.25	M-5614-614-4	44	Alum.; Satin Brass; Chrom.; White	10.00	M-5695-95	46	Chrom.; Satin Brass; White; Alum.	12.95
M-6608-608-18	44	Solid Copper	18.00	M-5616-616-7	44	Alum.; Satin Brass; Chrom.; White	11.15	M-5696-96	46	Chrom.; Satin Brass; White; Alum.	19.95
M-6608-608-28	44	Alum.; Satin Brass; Chrom.; White	17.00								

BATHROOM CABINETS

MC-1601	35	Cabinet — Unlighted	\$11.95	MC-1652	35	Cabinet — Lighted	\$34.95*	MC-1683	35	Cabinet — Lighted	\$69.95*
MC-1602	35	Cabinet — Unlighted	17.95	MC-1681	35	Cabinet — Lighted	39.95				

THOMAS INDUSTRIES INC., MOE LIGHT DIVISION

EXECUTIVE OFFICES: 410 South Third Street, Louisville 2, Kentucky

FACTORIES AT: Fort Atkinson and Sheboygan, Wis.; Hopkinsville, Ky.; Los Angeles 22, Calif.; Fort Smith, Ark.

Digitized by



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Mike Jackson, FAIA

**Products of
THOMAS
INDUSTRIES INC.**

Moe Light, Star Light
and Enchante
lighting fixtures

Benjamin commercial
and industrial lighting
equipment

Moe Light bathroom
cabinets

Radiant opal glass

Wright power saws

Sprayit paint
spraying equipment

Ideal bathroom
cabinets



THOMAS INDUSTRIES INC.

MOE LIGHT DIVISION

"Originators of Inspiration Lighting"

EXECUTIVE OFFICE: 410 S. Third Street, Louisville 2, Ky.

FACTORIES AT: Fort Atkinson and Sheboygan, Wis.; Hopkinsville, Ky.;
Los Angeles and Burlingame, Cal.;
Desplaines, Ill.; Fort Smith, Ark.